

01.04.2024 r.











			Product description		Net price
			Main unit		
	and change their operating	levice that collects and proce g status from the local netwo		ces and executive modules, enabling the user to view H-01 main unit also allows you to create automations reate scenes and schedules.	
Name	Communication	EAN code	Catalogue number	Colour	Price
EH-01	wireless WTP	5902479665047	WG.23.0005	WHITE	468 €
Envi	and wired TECH SBUS	5902479665115	WG.23.0024 witches - SINGLE series	BLACK - Extended delivery time	100 €
Note than		s switches can be used not c	only to control lightning, but also any e device status (on/off). Wireless co	device connected to the SINUM smart home system. mmunication with main unit.	
Name	Communication	EAN code	Catalogue number	Colour	Price
WS-01	wireless WTP	5902479664828	WG.23.0008	WHITE	
W301	WIICICSS W II	5902479665146	WG.23.0071	BLACK - Extended delivery time	79 €
WS-01m	wired TECH SBUS	5902479666495 5902479666235	WG.23.0089 WG.23.0101	WHITE	
			only to control lightning, but also any e device status (on/off). Wireless co	device connected to the SINUM smart home system. mmunication with main unit.	
Name	SINGLE series stylish glas	cklight that informs about th	e device status (on/off). Wireless co	mmunication with main unit. Colour	Price
NE sta	SINGLE series stylish glas The switch has an LED bar	EAN code 5902479664835	Catalogue number WG.23.0009	Colour WHITE	Price
Name	SINGLE series stylish glas The switch has an LED bar Communication	EAN code 5902479664835 5902479665184	e device status (on/off). Wireless co Catalogue number WG.23.0009 WG.23.0073	Colour WHITE BLACK - Extended delivery time	Price 82 €
Name	SINGLE series stylish glas The switch has an LED bar Communication	EAN code 5902479664835	Catalogue number WG.23.0009	Colour WHITE	
Name WS-02	SINGLE series stylish glas The switch has an LED bar Communication wireless WTP wired TECH SBUS WS-03 SWITCH 2x voltage output + 1x pr SINGLE series stylish glas The switch has an LED bar	EAN code 5902479664835 5902479665184 5902479666488 5902479666228 I 3 GANG ogrammable virtual output s switches can be used not cocklight that informs about the	e device status (on/off). Wireless co	Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. mmunication with main unit.	
Name WS-02	SINGLE series stylish glas The switch has an LED bar Communication wireless WTP wired TECH SBUS WS-03 SWITCH 2x voltage output + 1x pr SINGLE series stylish glas	EAN code 5902479664835 5902479665184 5902479666488 5902479666228 I 3 GANG ogrammable virtual output s switches can be used not ocklight that informs about the	e device status (on/off). Wireless co	Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. mmunication with main unit. Colour	
Name WS-02 WS-02m	SINGLE series stylish glas The switch has an LED bar Communication wireless WTP wired TECH SBUS WS-03 SWITCH 2x voltage output + 1x pr SINGLE series stylish glas The switch has an LED bar	EAN code 5902479664835 5902479665184 5902479666488 5902479666228 I 3 GANG ogrammable virtual output s switches can be used not ocklight that informs about the EAN code 5902479664842	e device status (on/off). Wireless col Catalogue number WG.23.0009 WG.23.0073 WG.23.0088 WG.23.0102 only to control lightning, but also any e device status (on/off). Wireless col Catalogue number WG.23.0010	Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. mmunication with main unit. Colour WHITE	82 € Price
Name WS-02 WS-02m Name WS-03	SINGLE series stylish glas The switch has an LED bar Communication wireless WTP wired TECH SBUS WS-03 SWITCH 2x voltage output + 1x pr SINGLE series stylish glas The switch has an LED bar Communication wireless WTP	EAN code 5902479664835 5902479665184 5902479666488 5902479666228 I 3 GANG ogrammable virtual output s switches can be used not ocklight that informs about the	e device status (on/off). Wireless co	Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. mmunication with main unit. Colour	82 €
Name WS-02 WS-02m	SINGLE series stylish glas The switch has an LED bar Communication wireless WTP wired TECH SBUS WS-03 SWITCH 2x voltage output + 1x pr SINGLE series stylish glas The switch has an LED bar Communication	EAN code 5902479664835 5902479665184 5902479666488 5902479666228 I 3 GANG ogrammable virtual output s switches can be used not cocklight that informs about the EAN code 5902479664842 5902479665191	e device status (on/off). Wireless co Catalogue number WG.23.0009 WG.23.0073 WG.23.0088 WG.23.0102 bonly to control lightning, but also any e device status (on/off). Wireless co Catalogue number WG.23.0010 WG.23.0081	Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. mmunication with main unit. Colour WHITE BLACK - Extended delivery time	82 € Price
Name WS-02 WS-02m Name WS-03	SINGLE series stylish glas The switch has an LED bar Communication wireless WTP wired TECH SBUS WS-03 SWITCH 2x voltage output + 1x pr SINGLE series stylish glas The switch has an LED bar Communication wireless WTP wired TECH SBUS WZ-02 ROLLER 2x voltage output A glass and stylish switch equipped with 2 sensor fie	EAN code 5902479664835 5902479665184 5902479666488 5902479666228 I 3 GANG ogrammable virtual output s switches can be used not ocklight that informs about th EAN code 5902479664842 5902479665191 5902479666211 SHUTTER CONTROL	catalogue number WG.23.0009 WG.23.0073 WG.23.0088 WG.23.0102 WG.23.0102 WG.23.0102 WG.23.0103 WG.23.0010	Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. mmunication with main unit. Colour WHITE BLACK - Extended delivery time WHITE	82 € Price
Name WS-02 WS-02m Name WS-03	SINGLE series stylish glas The switch has an LED bar Communication wireless WTP wired TECH SBUS WS-03 SWITCH 2x voltage output + 1x pr SINGLE series stylish glas The switch has an LED bar Communication wireless WTP wired TECH SBUS WZ-02 ROLLER 2x voltage output A glass and stylish switch equipped with 2 sensor fie	EAN code 5902479664835 5902479665184 5902479666488 5902479666228 I 3 GANG ogrammable virtual output s switches can be used not ocklight that informs about th EAN code 5902479665191 5902479665191 5902479666211 SHUTTER CONTROL	catalogue number WG.23.0009 WG.23.0073 WG.23.0088 WG.23.0102 WG.23.0102 WG.23.0102 WG.23.0103 WG.23.0010	Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. mmunication with main unit. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE sto the SINUM smart home system. The touch panel is	82 € Price
Name WS-02 WS-02m Name WS-03 WS-03m	SINGLE series stylish glas The switch has an LED bar Communication wireless WTP wired TECH SBUS WS-03 SWITCH 2x voltage output + 1x pr SINGLE series stylish glas The switch has an LED bar Communication wireless WTP wired TECH SBUS WZ-02 ROLLER 2x voltage output A glass and stylish switch equipped with 2 sensor fie informs about the device s	EAN code 5902479664835 5902479665184 5902479666228 1 3 GANG ogrammable virtual output s switches can be used not ocklight that informs about th EAN code 5902479664842 5902479665191 5902479666211 SHUTTER CONTROL from the SINGLE series for ocklight that allow you to control status (on/off). Wireless com EAN code 5902479664859	e device status (on/off). Wireless colored to the roller shutters connected the roller shutters using the built-in vimunication with main unit. Catalogue number WG.23.0102 Catalogue number WG.23.010 WG.23.010 WG.23.010 WG.23.0103 LEER Controlling roller shutters connected the roller shutters using the built-in vimunication with main unit. Catalogue number WG.23.0021	Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. mmunication with main unit. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE Colour WHITE BLACK - Extended delivery time WHITE Colour WHITE Colour WHITE Colour WHITE	82 € Price 85 €
Name WS-02 WS-02m Name WS-03 WS-03m	SINGLE series stylish glas The switch has an LED bar Communication wireless WTP wired TECH SBUS WS-03 SWITCH 2x voltage output + 1x pr SINGLE series stylish glas The switch has an LED bar Communication wireless WTP wired TECH SBUS WZ-02 ROLLER 2x voltage output A glass and stylish switch equipped with 2 sensor fie informs about the device s Communication	EAN code 5902479664835 5902479665184 5902479666228 1 3 GANG ogrammable virtual output s switches can be used not cital	e device status (on/off). Wireless colored to the color of the color o	Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time device connected to the SINUM smart home system. mmunication with main unit. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE Colour	82 € Price 85 €



Photo					
		Glass sw	vitches - FRAME series		
		1 GANG me included hes can be used not only to nt that informs about the devi	control lightning, but also any devi	ce connected to the SINUM smart home system. The lounted in SINUM glass frames or 55x55mm systems.	
Name	Communication	EAN code	Catalogue number	Colour	Price
FS-01	wireless WTP	5902479664668 5902479665764	WG.23.0012 WG.23.0049	WHITE BLACK - Extended delivery time	
FS-01m	wired TECH SBUS	5902479666648 5902479666266	WG.23.0118 WG.23.0121	WHITE BLACK - Extended delivery time	79 €
		me included hes can be used not only to nt that informs about the devi		ce connected to the SINUM smart home system. The lounted in SINUM glass frames or 55x55mm systems.	
Name	Communication	EAN code	Catalogue number	Colour	Price
FS-02	wireless WTP	5902479664675	WG.23.0013	WHITE	
F3-0Z	Wileless WTF	5902479665771	WG.23.0050	BLACK - Extended delivery time	00.6
					X7±
FS-02m	wired TECH SBUS	5902479666655	WG.23.0119	WHITE	82 €
FS-02m		590247966655 5902479666259 SHUTTER CONTROLL	WG.23.0122	WHITE BLACK - Extended delivery time	82€
FS-02m	FZ-02 ROLLER S 2x voltage output / no fra FRAME series glass switc	5902479666259 SHUTTER CONTROLL me included hes can be used not only to on that informs about the devi	WG.23.0122 ER control lightning, but also any device		82€
	FZ-02 ROLLER S 2x voltage output / no fra FRAME series glass switc switch has an LED backligi	5902479666259 SHUTTER CONTROLL me included hes can be used not only to on that informs about the devi	WG.23.0122 ER control lightning, but also any device	BLACK - Extended delivery time	82€ Price
Name	FZ-02 ROLLER S 2x voltage output / no fra FRAME series glass switc switch has an LED backligl Wireless communication v Communication	5902479666259 SHUTTER CONTROLL me included hes can be used not only to at that informs about the devi vith main unit.	WG.23.0122 ER control lightning, but also any device status (on/off). Intended to be m	BLACK - Extended delivery time be connected to the SINUM smart home system. The sounted in SINUM glass frames or 55x55mm systems.	
	FZ-02 ROLLER S 2x voltage output / no fra FRAME series glass switc switch has an LED backligl Wireless communication v	5902479666259 SHUTTER CONTROLL me included net can be used not only to a net that informs about the devi vith main unit. EAN code	WG.23.0122 ER control lightning, but also any device status (on/off). Intended to be m Catalogue number	BLACK - Extended delivery time be connected to the SINUM smart home system. The sounted in SINUM glass frames or 55x55mm systems. Colour	Price
Name FZ-02	FZ-02 ROLLER S 2x voltage output / no fra FRAME series glass switc switch has an LED backlig Wireless communication v Communication wireless WTP	5902479666259 SHUTTER CONTROLL me included thes can be used not only to only to only the device of the device o	WG.23.0122 ER control lightning, but also any device status (on/off). Intended to be m Catalogue number WG.23.0014 WG.23.0051 WG.23.0152	BLACK - Extended delivery time see connected to the SINUM smart home system. The sounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE	
Name	FZ-02 ROLLER S 2x voltage output / no fra FRAME series glass switc switch has an LED backligl Wireless communication v Communication	5902479666259 SHUTTER CONTROLL me included hes can be used not only to only to that informs about the devi with main unit. EAN code 5902479664682 5902479665788	WG.23.0122 ER control lightning, but also any device status (on/off). Intended to be m Catalogue number WG.23.0014 WG.23.0051	BLACK - Extended delivery time see connected to the SINUM smart home system. The sounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time	Price
Name FZ-02	FZ-02 ROLLER 3 2x voltage output / no fra FRAME series glass switc switch has an LED backlig! Wireless communication Communication wireless WTP wired TECH SBUS FG GLASS FRAMI	5902479666259 SHUTTER CONTROLL me included hes can be used not only to at that informs about the devi vith main unit. EAN code 5902479664682 5902479665788 5902479666921 5902479666242	WG.23.0122 ER control lightning, but also any device status (on/off). Intended to be m Catalogue number WG.23.0014 WG.23.0051 WG.23.0152 WG.23.0138 ed regulators. Internal dimension of	BLACK - Extended delivery time se connected to the SINUM smart home system. The founted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time	Price
Name FZ-02	FZ-02 ROLLER S 2x voltage output / no fra FRAME series glass switc switch has an LED backligl Wireless communication v Communication wireless WTP wired TECH SBUS FG GLASS FRAMI A glass frame designed fo	5902479666259 SHUTTER CONTROLL me included hes can be used not only to on that informs about the devi vith main unit. EAN code 5902479664682 5902479665788 5902479666921 5902479666242 E r mounting switches or frame FZ series.	WG.23.0122 ER control lightning, but also any device status (on/off). Intended to be m Catalogue number WG.23.0014 WG.23.0051 WG.23.0152 WG.23.0138	BLACK - Extended delivery time se connected to the SINUM smart home system. The founted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time	Price
Name FZ-02	FZ-02 ROLLER S 2x voltage output / no fra FRAME series glass switc switch has an LED backligh Wireless communication v Communication wireless WTP wired TECH SBUS FG GLASS FRAMI A glass frame designed fo Suitable for the F, FS and i	5902479666259 SHUTTER CONTROLL me included hes can be used not only to on that informs about the devi vith main unit. EAN code 5902479664682 5902479665788 5902479666921 5902479666242 E r mounting switches or frame FZ series.	WG.23.0122 ER control lightning, but also any device status (on/off). Intended to be m Catalogue number WG.23.0014 WG.23.0051 WG.23.0152 WG.23.0138 ed regulators. Internal dimension of	BLACK - Extended delivery time see connected to the SINUM smart home system. The sounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time the opening: 55x55 mm.	Price 90 € Price
Name FZ-02	FZ-02 ROLLER 3 2x voltage output / no fra FRAME series glass switc switch has an LED backligi Wireless communication Communication wireless WTP wired TECH SBUS FG GLASS FRAMI A glass frame designed fo Suitable for the F, FS and I Rodzaj FG-01 single FG-01 single	5902479666259 SHUTTER CONTROLL me included hes can be used not only to a not that informs about the devi with main unit. EAN code 5902479665788 5902479666921 5902479666242 E r mounting switches or frame FZ series. EAN code 5902479665283 5902479665290	WG.23.0122 ER control lightning, but also any device status (on/off). Intended to be m Catalogue number WG.23.0014 WG.23.0051 WG.23.0152 WG.23.0138 ed regulators. Internal dimension of Catalogue number WG.23.0025 WG.23.0029	BLACK - Extended delivery time see connected to the SINUM smart home system. The sounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time the opening: 55x55 mm. Colour WHITE BLACK - Extended delivery time	Price 90 €
Name FZ-02	FZ-02 ROLLER 3 2x voltage output / no fra FRAME series glass switc switch has an LED backlig! Wireless communication Wireless WTP wired TECH SBUS FG GLASS FRAMI A glass frame designed fo Suitable for the F, FS and I Rodzaj FG-01 single FG-02 double	5902479666259 SHUTTER CONTROLL me included hes can be used not only to a to that informs about the devi with main unit. EAN code 5902479664682 5902479665283 5902479665283 5902479665290 5902479665306	WG.23.0122 ER control lightning, but also any device status (on/off). Intended to be m Catalogue number WG.23.0014 WG.23.0051 WG.23.0152 WG.23.0138 ed regulators. Internal dimension of Catalogue number WG.23.0025 WG.23.0029 WG.23.0026	BLACK - Extended delivery time see connected to the SINUM smart home system. The sounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time the opening: 55x55 mm. Colour WHITE BLACK - Extended delivery time WHITE	Price Price 16 €
Name FZ-02	FZ-02 ROLLER 3 2x voltage output / no fra FRAME series glass switc switch has an LED backlig! Wireless communication Communication wireless WTP wired TECH SBUS FG GLASS FRAM! A glass frame designed fo Suitable for the F, FS and I Rodzaj FG-01 single FG-02 double FG-02 double	5902479666259 SHUTTER CONTROLL me included the scan be used not only to at that informs about the devi inth main unit. EAN code 5902479664682 5902479665788 5902479666242 E mounting switches or frame FZ series. EAN code 5902479665283 5902479665290 5902479665306 5902479665313	WG.23.0122 ER control lightning, but also any device status (on/off). Intended to be m Catalogue number WG.23.0014 WG.23.0051 WG.23.0152 WG.23.0138 ed regulators. Internal dimension of Catalogue number WG.23.0025 WG.23.0026 WG.23.0026 WG.23.0030	BLACK - Extended delivery time see connected to the SINUM smart home system. The sounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time the opening: 55x55 mm. Colour WHITE BLACK - Extended delivery time	Price 90 € Price
Name FZ-02	FZ-02 ROLLER 3 2x voltage output / no fra FRAME series glass switc switch has an LED backlig Wireless communication wireless WTP wired TECH SBUS FG GLASS FRAMI A glass frame designed fo Suitable for the F, FS and I Rodzaj FG-01 single FG-02 double FG-02 double FG-02 double	5902479666259 SHUTTER CONTROLL me included thes can be used not only to at that informs about the devi with main unit. EAN code 5902479664682 5902479665788 5902479666242 E r mounting switches or frame FZ series. EAN code 5902479665283 5902479665290 5902479665306 5902479665313 5902479665320	WG.23.0122 ER control lightning, but also any device status (on/off). Intended to be m Catalogue number WG.23.0014 WG.23.0051 WG.23.0152 WG.23.0138 ed regulators. Internal dimension of catalogue number WG.23.0025 WG.23.0026 WG.23.0030 WG.23.0027	BLACK - Extended delivery time see connected to the SINUM smart home system. The sounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time the opening: 55x55 mm. Colour WHITE BLACK - Extended delivery time WHITE	Price 90 € Price 16 € 22 €
Name FZ-02	FZ-02 ROLLER 3 2x voltage output / no fra FRAME series glass switc switch has an LED backlig! Wireless communication v Communication wireless WTP wired TECH SBUS FG GLASS FRAM! A glass frame designed fo Suitable for the F, FS and I Rodzaj FG-01 single FG-02 double FG-02 double FG-03 triple FG-03 triple	5902479666259 SHUTTER CONTROLL me included hes can be used not only to on that that informs about the devi with main unit. EAN code 5902479664682 5902479666921 5902479666242 E r mounting switches or frame FZ series. EAN code 5902479665283 5902479665290 5902479665313 5902479665320 5902479665337	WG.23.0122 ER control lightning, but also any device status (on/off). Intended to be m Catalogue number WG.23.0014 WG.23.0051 WG.23.0152 WG.23.0138 ed regulators. Internal dimension of Catalogue number WG.23.0025 WG.23.0025 WG.23.0026 WG.23.0027 WG.23.0031	BLACK - Extended delivery time ce connected to the SINUM smart home system. The iounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time the opening: 55x55 mm. Colour WHITE BLACK - Extended delivery time	Price Price 16 €
Name FZ-02	FZ-02 ROLLER 3 2x voltage output / no fra FRAME series glass switc switch has an LED backlig! Wireless communication v Communication wireless WTP wired TECH SBUS FG GLASS FRAM! A glass frame designed fo Suitable for the F, FS and I Rodzaj FG-01 single FG-02 double FG-02 double FG-02 driple FG-03 triple FG-03 triple FG-04 quadruple	5902479666259 SHUTTER CONTROLL me included hes can be used not only to on that informs about the devi with main unit. EAN code 5902479664682 5902479666921 5902479666242 E r mounting switches or frame FZ series. EAN code 5902479665283 5902479665290 5902479665313 5902479665320 5902479665337 5902479665344	WG.23.0122 ER control lightning, but also any device status (on/off). Intended to be m Catalogue number WG.23.0014 WG.23.0051 WG.23.0152 WG.23.0138 ed regulators. Internal dimension of Catalogue number WG.23.0025 WG.23.0025 WG.23.0026 WG.23.0027 WG.23.0031 WG.23.0028	BLACK - Extended delivery time ce connected to the SINUM smart home system. The founted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time the opening: 55x55 mm. Colour WHITE BLACK - Extended delivery time WHITE	Price 90 € Price 16 € 22 €
Name FZ-02	FZ-02 ROLLER 3 2x voltage output / no fra FRAME series glass switc switch has an LED backlig! Wireless communication v Communication wireless WTP wired TECH SBUS FG GLASS FRAM! A glass frame designed fo Suitable for the F, FS and I Rodzaj FG-01 single FG-02 double FG-02 double FG-03 triple FG-03 triple	5902479666259 SHUTTER CONTROLL me included hes can be used not only to on that that informs about the devi with main unit. EAN code 5902479664682 5902479666921 5902479666242 E r mounting switches or frame FZ series. EAN code 5902479665283 5902479665290 5902479665313 5902479665320 5902479665337	WG.23.0122 ER control lightning, but also any device status (on/off). Intended to be m Catalogue number WG.23.0014 WG.23.0051 WG.23.0152 WG.23.0138 ed regulators. Internal dimension of Catalogue number WG.23.0025 WG.23.0025 WG.23.0026 WG.23.0027 WG.23.0031	BLACK - Extended delivery time ce connected to the SINUM smart home system. The iounted in SINUM glass frames or 55x55mm systems. Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time the opening: 55x55 mm. Colour WHITE BLACK - Extended delivery time	Price 90 € Price 16 € 22 € 28 €






Photo			Product description		Net price
	Integrated wall switches f	rogrammable virtual output		itch is equipped with a total of 5 touch sensor fields. The	
No	Communication	EAN code	Catalogue number	Colour	Date:
Name	Communication	5902479665542	WG.23.0038	WHITE	Price
WSS-32	wireless WTP	5902479665559	WG.23.0039	BLACK - Extended delivery time	
		5902479666778	WG.23.0139	WHITE	160 €
WSS-32m	wired TECH SBUS	5902479666761	WG.23.0148	BLACK - Extended delivery time	
•	WSS-33 switt	CH 6 GANG			
	4x voltage output + 2x pr	rogrammable virtual output			
		rom the DOUBLE series give y ght that informs about the dev		itch is equipped with a total of 6 touch sensor fields. The	
Name	Communication	EAN code	Catalogue number	Colour	Price
		5902479664903	WG.23.0037	WHITE	
WSS-33	wireless WTP	5902479665566	WG.23.0041	BLACK - Extended delivery time	1616
		5902479666846	WG.23.0136	WHITE	164 €
WSS-33m	wired TECH SBUS	5902479666853	WG.23.0133	BLACK - Extended delivery time	
			·		LEFT
RIGHT	WSZ-22 swite	CH 2 GANG + ROLLER	SHUTTER CONTROLLE	R	ш1
RIGHT	2x voltage output + 2x vol Integrated wall switches f touch panel is equipped w	oltage output rom the DOUBLE series give y vith 2 sensor fields that allow		itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for	
	2x voltage output + 2x vol Integrated wall switches f touch panel is equipped w	oltage output rom the DOUBLE series give y vith 2 sensor fields that allow	our interior a unique look. The swi you to control the roller shutters u	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for	
	2x voltage output + 2x vo Integrated wall switches f touch panel is equipped w controlling lights. The swi	oltage output rom the DOUBLE series give y rith 2 sensor fields that allow tch has an LED backlight that	our interior a unique look. The swi you to control the roller shutters t informs about the device status	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off).	• • •
Name	2x voltage output + 2x voltage output + 2x voltage at the state of touch panel is equipped we controlling lights. The swi	oltage output rom the DOUBLE series give y rith 2 sensor fields that allow tch has an LED backlight that EAN code	our interior a unique look. The swi you to control the roller shutters uniforms about the device status Catalogue number	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour	• • •
Name WSZ-22P - RIGHT	2x voltage output + 2x vo Integrated wall switches f touch panel is equipped w controlling lights. The swi	oltage output rom the DOUBLE series give y rith 2 sensor fields that allow tch has an LED backlight that EAN code 5902479664910	our interior a unique look. The swi you to control the roller shutters informs about the device status Catalogue number WG.23.0069	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour WHITE	• • •
Name WSZ-22P - RIGHT WSZ-22P - RIGHT	2x voltage output + 2x voltage output + 2x voltage at the state of touch panel is equipped we controlling lights. The swi	oltage output rom the DOUBLE series give y vith 2 sensor fields that allow tch has an LED backlight that EAN code 5902479664910 5902479665672	our interior a unique look. The swi you to control the roller shutters to informs about the device status Catalogue number WG.23.0069 WG.23.0077	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour WHITE BLACK - Extended delivery time	Price
Name WSZ-22P - RIGHT WSZ-22P - RIGHT WSZ-22L - LEFT	2x voltage output + 2x voltage output + 2x voltage at the state of touch panel is equipped we controlling lights. The swi	oltage output rom the DOUBLE series give y with 2 sensor fields that allow tch has an LED backlight that EAN code 5902479664910 5902479665672 5902479665689	our interior a unique look. The swi you to control the roller shutters to informs about the device status Catalogue number WG.23.0069 WG.23.0077 WG.23.0070	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour WHITE BLACK - Extended delivery time WHITE	• • •
Name WSZ-22P - RIGHT WSZ-22P - RIGHT WSZ-22L - LEFT WSZ-22L - LEFT	2x voltage output + 2x voltage output + 2x voltage and switches f touch panel is equipped w controlling lights. The swi	oltage output rom the DOUBLE series give y rith 2 sensor fields that allow tch has an LED backlight that EAN code 5902479664910 5902479665672 5902479665689 5902479665610	our interior a unique look. The swi you to control the roller shutters u informs about the device status Catalogue number WG.23.0069 WG.23.0077 WG.23.0070 WG.23.0076	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time	Price
Name WSZ-22P - RIGHT WSZ-22P - RIGHT WSZ-22L - LEFT WSZ-22L - LEFT WSZ-22L - RIGHT	2x voltage output + 2x voltage output + 2x voltage at the state of touch panel is equipped we controlling lights. The swi	oltage output rom the DOUBLE series give y rith 2 sensor fields that allow tch has an LED backlight that EAN code 5902479664910 5902479665672 5902479665689 5902479665610 5902479666815	our interior a unique look. The sw you to control the roller shutters u informs about the device status Catalogue number WG.23.0069 WG.23.0077 WG.23.0070 WG.23.0076 WG.23.0143	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour WHITE BLACK - Extended delivery time WHITE BLACK - Extended delivery time WHITE	Price
Name WSZ-22P - RIGHT WSZ-22P - RIGHT WSZ-22L - LEFT WSZ-22L - LEFT WSZ-22MP - RIGHT WSZ-22mP - RIGHT	2x voltage output + 2x voltage output + 2x voltage and switches f touch panel is equipped w controlling lights. The swi	oltage output rom the DOUBLE series give y rith 2 sensor fields that allow tch has an LED backlight that EAN code 5902479664910 5902479665672 5902479665689 5902479666815 5902479666839	our interior a unique look. The swi you to control the roller shutters u informs about the device status Catalogue number WG.23.0069 WG.23.0077 WG.23.0070 WG.23.0076 WG.23.0143 WG.23.0144	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour WHITE BLACK - Extended delivery time	Price
Name WSZ-22P - RIGHT WSZ-22P - RIGHT WSZ-22L - LEFT WSZ-22L - LEFT WSZ-22MP - RIGHT WSZ-22mP - RIGHT WSZ-22mP - LEFT	2x voltage output + 2x voltage output + 2x voltage and switches for touch panel is equipped wontrolling lights. The switch communication Wireless WTP wired TECH SBUS	oltage output rom the DOUBLE series give y rith 2 sensor fields that allow tch has an LED backlight that EAN code 5902479664910 5902479665672 5902479665689 5902479665610 5902479666815 5902479666839 5902479666808 5902479666822	our interior a unique look. The swi you to control the roller shutters to informs about the device status Catalogue number WG.23.0069 WG.23.0077 WG.23.0070 WG.23.0076 WG.23.0143 WG.23.0144 WG.23.0144 WG.23.0144	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour WHITE BLACK - Extended delivery time	Price
Name WSZ-22P - RIGHT WSZ-22P - RIGHT WSZ-22L - LEFT WSZ-22L - LEFT WSZ-22MP - RIGHT WSZ-22MP - RIGHT WSZ-22ML - LEFT	2x voltage output + 2x voltage output + 2x voltage audition with the set touch panel is equipped what controlling lights. The swith the set of touch panel is equipped with 2 sensor and switches are set of touch panel is equipped with 2 sensor and switches are set of touch panel in the set of touch panel is equipped with 2 sensor and switches are set of touch panel in the set of touch panel is equipped with 2 sensor and switches are set of touch panel in the set of touch panel is equipped with 2 sensor and switches are set of touch panel is equipped with 2 sensor and switches are set of touch panel is equipped with 2 sensor and switches are set of touch panel is equipped with 2 sensor and switches are set of touch panel is equipped with 2 sensor and switches are set of touch panel is equipped with 2 sensor and 2 sensor are sensor and 2 sen	bitage output rom the DOUBLE series give y rith 2 sensor fields that allow tch has an LED backlight that EAN code 5902479664910 5902479665672 5902479665689 5902479665610 5902479666815 5902479666839 5902479666808 5902479666822 DM REGULATOR + RO es with built-in temperature or fields that allow you to control	our interior a unique look. The swi you to control the roller shutters to informs about the device status Catalogue number WG.23.0069 WG.23.0077 WG.23.0070 WG.23.0076 WG.23.0144 WG.23.0144 WG.23.0144 WG.23.0144 WG.23.0144 WG.23.0144 CALER SHUTTER CONTROL Controllers from the DOUBLE serie	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour WHITE BLACK - Extended delivery time	Price 164 €
Name WSZ-22P - RIGHT WSZ-22P - RIGHT WSZ-22L - LEFT WSZ-22L - LEFT WSZ-22MP - RIGHT WSZ-22ML - LEFT WSZ-22ML - LEFT RIGHT	2x voltage output + 2x voltage output + 2x voltage audition with the set touch panel is equipped what controlling lights. The swith the set of touch panel is equipped with 2 sensor and switches are set of touch panel is equipped with 2 sensor and switches are set of touch panel in the set of touch panel is equipped with 2 sensor and switches are set of touch panel in the set of touch panel is equipped with 2 sensor and switches are set of touch panel in the set of touch panel is equipped with 2 sensor and switches are set of touch panel is equipped with 2 sensor and switches are set of touch panel is equipped with 2 sensor and switches are set of touch panel is equipped with 2 sensor and switches are set of touch panel is equipped with 2 sensor and switches are set of touch panel is equipped with 2 sensor and 2 sensor are sensor and 2 sen	bitage output rom the DOUBLE series give y rith 2 sensor fields that allow tch has an LED backlight that EAN code 5902479664910 5902479665672 5902479665689 5902479665610 5902479666815 5902479666839 5902479666808 5902479666822 DM REGULATOR + RO es with built-in temperature or fields that allow you to control	our interior a unique look. The swi you to control the roller shutters to informs about the device status Catalogue number WG.23.0069 WG.23.0077 WG.23.0070 WG.23.0076 WG.23.0144 WG.23.0144 WG.23.0144 WG.23.0144 WG.23.0144 WG.23.0142 WG.23.0184	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour WHITE BLACK - Extended delivery time	Price 164 €
Name WSZ-22P - RIGHT WSZ-22P - RIGHT WSZ-22L - LEFT WSZ-22L - LEFT WSZ-22M - RIGHT WSZ-22MP - RIGHT WSZ-22ML - LEFT RIGHT	2x voltage output + 2x voltage output + 2x voltage audition with the set touch panel is equipped when controlling lights. The swince the set of touch panel is equipped wireless WTP WZR-02 ROC Integrated wall switche equipped with 2 sensor that informs about the	bltage output rom the DOUBLE series give y rith 2 sensor fields that allow tch has an LED backlight that EAN code 5902479664910 5902479665672 5902479665689 5902479665610 5902479666815 5902479666808 5902479666802 DM REGULATOR + RO es with built-in temperature or fields that allow you to controdevice status (on/off). Wireles	our interior a unique look. The swi you to control the roller shutters to informs about the device status Catalogue number WG.23.0069 WG.23.0077 WG.23.0070 WG.23.0076 WG.23.0143 WG.23.0144 WG.23.0144 WG.23.0142 WG.23.0134 LLER SHUTTER CONTRO ontrollers from the DOUBLE serie of the roller shutters using the buil as communication with main unit	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour WHITE BLACK - Extended delivery time	Price 164 €
Name WSZ-22P - RIGHT WSZ-22P - RIGHT WSZ-22L - LEFT WSZ-22L - LEFT WSZ-22mP - RIGHT WSZ-22mP - RIGHT WSZ-22mL - LEFT RIGHT RIGHT	2x voltage output + 2x voltage output + 2x voltage output + 2x voltage and switches for touch panel is equipped wontrolling lights. The switch communication Wireless WTP wired TECH SBUS WZR-02 ROO Integrated wall switch equipped with 2 sensor that informs about the Communication	bitage output rom the DOUBLE series give y rith 2 sensor fields that allow tch has an LED backlight that EAN code 5902479664910 5902479665672 5902479665610 5902479665610 5902479666815 5902479666839 5902479666808 5902479666808 5902479666808 59024796679 EERN code	our interior a unique look. The swi you to control the roller shutters to informs about the device status Catalogue number WG.23.0069 WG.23.0077 WG.23.0070 WG.23.0076 WG.23.0144 WG.23.0144 WG.23.0144 WG.23.0144 WG.23.0149 WG.23.0140 Catalogue number Catalogue number	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour WHITE BLACK - Extended delivery time WHITE COLOUR	Price 164 €
Name WSZ-22P - RIGHT WSZ-22P - RIGHT WSZ-22L - LEFT WSZ-22L - LEFT WSZ-22mP - RIGHT WSZ-22mP - RIGHT WSZ-22mL - LEFT RIGHT NSZ-22mL - LEFT	2x voltage output + 2x voltage output + 2x voltage audition with the set touch panel is equipped when controlling lights. The swince the set of touch panel is equipped wireless WTP WZR-02 ROC Integrated wall switche equipped with 2 sensor that informs about the	bitage output rom the DOUBLE series give y rith 2 sensor fields that allow tch has an LED backlight that EAN code 5902479664910 5902479665672 5902479665689 5902479665610 5902479666815 5902479666839 5902479666808 5902479666822 DM REGULATOR + RO es with built-in temperature or fields that allow you to control device status (on/off). Wireles EAN code 5902479664927	our interior a unique look. The swi you to control the roller shutters to informs about the device status Catalogue number WG.23.0069 WG.23.0077 WG.23.0076 WG.23.0076 WG.23.0144 WG.23.0144 WG.23.0142 WG.23.0134 LLER SHUTTER CONTRO ontrollers from the DOUBLE serie of the roller shutters using the builties communication with main unit Catalogue number WG.23.0022	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour WHITE BLACK - Extended delivery time WHITE Colour WHITE	Price 164 €
Name WSZ-22P - RIGHT WSZ-22P - RIGHT WSZ-22L - LEFT WSZ-22L - LEFT WSZ-22mP - RIGHT WSZ-22mL - LEFT	2x voltage output + 2x voltage output + 2x voltage output + 2x voltage and switches for touch panel is equipped wontrolling lights. The switch communication Wireless WTP wired TECH SBUS WZR-02 ROO Integrated wall switch equipped with 2 sensor that informs about the Communication	bitage output rom the DOUBLE series give y rith 2 sensor fields that allow tch has an LED backlight that EAN code 5902479664910 5902479665672 5902479665689 5902479665610 5902479666815 5902479666839 5902479666808 5902479666822 DM REGULATOR + RO es with built-in temperature or fields that allow you to control device status (on/off). Wireler EAN code 5902479664927 5902479664347	our interior a unique look. The swi you to control the roller shutters to informs about the device status Catalogue number WG.23.0069 WG.23.0077 WG.23.0076 WG.23.0076 WG.23.0143 WG.23.0144 WG.23.0142 WG.23.0134 LLER SHUTTER CONTRO controllers from the DOUBLE series of the roller shutters using the builties communication with main unit Catalogue number WG.23.0022 WG.23.0074	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour WHITE BLACK - Extended delivery time WHITE Colour WHITE BLACK - Extended delivery time an LED backlight and the sentence of	Price 164 € Price
Name WSZ-22P - RIGHT WSZ-22P - RIGHT WSZ-22L - LEFT WSZ-22L - LEFT WSZ-22mP - RIGHT WSZ-22mL - LEFT RIGHT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02P - RIGHT	2x voltage output + 2x voltage output + 2x voltage output + 2x voltage and switches for touch panel is equipped wontrolling lights. The switch communication Wireless WTP wired TECH SBUS WZR-02 ROO Integrated wall switch equipped with 2 sensor that informs about the Communication	bltage output rom the DOUBLE series give y with 2 sensor fields that allow tch has an LED backlight that EAN code 5902479664910 5902479665672 5902479665689 5902479665610 5902479666815 5902479666839 5902479666808 5902479666822 DM REGULATOR + RO es with built-in temperature or fields that allow you to contro device status (on/off). Wireler EAN code 5902479664927 5902479664354	our interior a unique look. The swi you to control the roller shutters uniforms about the device status Catalogue number WG.23.0069 WG.23.0077 WG.23.0076 WG.23.0143 WG.23.0144 WG.23.0144 WG.23.0134 LLER SHUTTER CONTROD ontrollers from the DOUBLE series of the roller shutters using the builts as communication with main unites communication with main unites wG.23.0022 WG.23.0074 WG.23.0096	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour WHITE BLACK - Extended delivery time WHITE Colour WHITE BLACK - Extended delivery time an LED backlight in the switch has an LED bac	Price 164 €
Name WSZ-22P - RIGHT WSZ-22P - RIGHT WSZ-22L - LEFT WSZ-22L - LEFT WSZ-22mP - RIGHT WSZ-22mL - LEFT WSZ-22mL - LEFT WSZ-22mL - LEFT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02L - LEFT	2x voltage output + 2x voltage output + 2x voltage and switches for touch panel is equipped wontrolling lights. The switches wireless WTP Wireless WTP WZR-02 ROO Integrated wall switche equipped with 2 sensor that informs about the Communication wireless WTP	Ditage output rom the DOUBLE series give y rom the 2 sensor fields that allow tch has an LED backlight that EAN code 5902479664910 5902479665689 590247966589 5902479666815 5902479666839 5902479666808 5902479666822 DM REGULATOR + RO es with built-in temperature or fields that allow you to control device status (on/off). Wireler EAN code 5902479664927 5902479664354 5902479664351	our interior a unique look. The swi you to control the roller shutters to informs about the device status Catalogue number WG.23.0069 WG.23.0077 WG.23.0076 WG.23.0143 WG.23.0144 WG.23.0144 WG.23.0134 LLER SHUTTER CONTRO Ontrollers from the DOUBLE series of the roller shutters using the builties communication with main unit Catalogue number WG.23.0022 WG.23.0096 WG.23.0097	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour WHITE BLACK - Extended delivery time	Price Price Price
Name WSZ-22P - RIGHT WSZ-22P - RIGHT WSZ-22L - LEFT WSZ-22L - LEFT WSZ-22mP - RIGHT WSZ-22mL - LEFT WSZ-22mL - LEFT WSZ-22mL - LEFT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02P - RIGHT WZR-02L - LEFT WZR-02L - LEFT WZR-02L - LEFT	2x voltage output + 2x voltage output + 2x voltage output + 2x voltage and switches for touch panel is equipped wontrolling lights. The switch communication Wireless WTP wired TECH SBUS WZR-02 ROO Integrated wall switch equipped with 2 sensor that informs about the Communication	Ditage output rom the DOUBLE series give y rith 2 sensor fields that allow tch has an LED backlight that EAN code 5902479664910 5902479665672 5902479665689 5902479665610 5902479666815 5902479666808 5902479666808 5902479666822 DISTRICT SERIES	our interior a unique look. The swi you to control the roller shutters u informs about the device status Catalogue number WG.23.0069 WG.23.0077 WG.23.0076 WG.23.0143 WG.23.0144 WG.23.0144 WG.23.0142 WG.23.0184 LLER SHUTTER CONTRO controllers from the DOUBLE serie all the roller shutters using the buil as communication with main unit Catalogue number WG.23.0022 WG.23.0074 WG.23.0096 WG.23.0097 WG.23.0156	itch is equipped with a total of 4 touch sensor fields. The using the built-in voltage outputs. and 2 sensor fields for (on/off). Colour WHITE BLACK - Extended delivery time WHITE	Price 164 € Price

Photo			Product description		Net price
		MODUŁY PR	ZEKAŹNIKOWE - SZYNA DIN		
F 700	PS-02 DIN RAII 2x voltage signal input +	_ RELAY			
Name	Communication	EAN code	Catalogue number	Colour	Price
PS-02	wireless WTP	5902479664781	WG.23.0003	BLUE	60 €
PS-02m	wired TECH SBUS	5902479666662	WG.23.0130	3202	00 €
A STATE OF THE STA	PSZ-02 DIN R/2x voltage signal input +	AIL RELAY FOR ROLL 2x voltage-free output	ER SHUTTERS		
Name	Communication	EAN code	Catalogue number	Colour	Price
PZ-02	wireless WTP	5902479664804	WG.23.0019	BLUE	63 €
PZ-02m	wired TECH SBUS	5902479667119	WG.23.0164		33.0
And September 1	PS-08 DIN RAIL 8x voltage-free output	RELAY			
Name	Communication	EAN code	Catalogue number	Colour	Price
PS-08	wired TECH SBUS	5902479664798	WG.23.0004	BLUE	93 €
TANKS OF THE PARTY	PS-06m DIN R 6x voltage-free output	AIL RELAY			
Name	Communication	EAN code	Catalogue number	Colour	Price
PS-06m	wired TECH SBUS	5902479666006	WG.23.0047	BLUE	94 €
	PS-08 230 D 8x 230V voltage output				
Name	Communication	EAN code	Catalogue number	Colour	
PS-08 230	wireless WTP			Coloui	Price
		5902479664934	WG.23.0020	BLUE	96 €
PS-08m 230	wired TECH SBUS	5902479666013	WG.23.0046	BLUE	
PS-08m 230		5902479666013 MODUŁY PRZE H-MOUNTED RELAY		BLUE	96 €
£	PPS-01 FLUSH 1x voltage signal input +	5902479666013 MODUŁY PRZE I-MOUNTED RELAY 1x voltage output	WG.23.0046 Kaźnikowe - Do Puszkov	BLUE	96 € 101 €
Name	PPS-01 FLUSH 1x voltage signal input + Communication wireless WTP	5902479666013 MODUŁY PRZE H-MOUNTED RELAY 1x voltage output EAN code 5902479666167 H-MOUNTED RELAY	WG.23.0046 KAŹNIKOWE - DO PUSZKOV Catalogue number	BLUE NE Colour	96 € 101 €
Name	PPS-01 FLUSH 1x voltage signal input + Communication wireless WTP PPS-02 FLUSH	5902479666013 MODUŁY PRZE H-MOUNTED RELAY 1x voltage output EAN code 5902479666167 H-MOUNTED RELAY	WG.23.0046 KAŹNIKOWE - DO PUSZKOV Catalogue number	BLUE NE Colour	96 € 101 €
Name PPS-01	PPS-01 FLUSH 1x voltage signal input + Communication wireless WTP PPS-02 FLUSH 2x voltage signal input +	5902479666013 MODUŁY PRZE I-MOUNTED RELAY 1x voltage output EAN code 5902479666167 I-MOUNTED RELAY 2x voltage-free output	WG.23.0046 KAŹNIKOWE - DO PUSZKON Catalogue number WG.23.0106	BLUE Colour WHITE	96 € 101 € Price 59 €
Name PPS-01 Name	PPS-01 FLUSH 1x voltage signal input + Communication wireless WTP PPS-02 FLUSH 2x voltage signal input + Communication wireless WTP	5902479666013 MODUŁY PRZE I-MOUNTED RELAY 1x voltage output EAN code 5902479666167 I-MOUNTED RELAY 2x voltage-free output EAN code 5902479664958 I-MOUNTED RELAY F	WG.23.0046 KAŽNIKOWE - DO PUSZKOV Catalogue number WG.23.0106 Catalogue number	BLUE Colour WHITE Colour	96 € 101 € Price 59 €
Name PPS-01 Name	PPS-01 FLUSH 1x voltage signal input + Communication wireless WTP PPS-02 FLUSH 2x voltage signal input + Communication wireless WTP PPZ-02 FLUSH	5902479666013 MODUŁY PRZE I-MOUNTED RELAY 1x voltage output EAN code 5902479666167 I-MOUNTED RELAY 2x voltage-free output EAN code 5902479664958 I-MOUNTED RELAY F	WG.23.0046 KAŹNIKOWE - DO PUSZKOV Catalogue number WG.23.0106 Catalogue number WG.23.0001	BLUE Colour WHITE Colour	96 € 101 € Price 59 €



Photo			Product description		Net price
		AKCESOR	IA DODATKOWE - SINUM		
- E S		υρ to 50 thermostatic act	SS CONTROLLER FOR THERMOSTAT cuators, one 230V output for pump, vo	IC ACTUATORS Oltage-free contact (e.g. for controlling the	
Name	Communication	EAN code	Catalogue number	Colour	Price
PS-10 230	wireless WTP	5902479665801	WG.23.0044	WHITE	165 €
PS-10m 230	wired TECH SBUS	5902479665702	WG.23.0054 2 MIXING VALVE ACTUATORS		103 €
	Control of the three- or	four-way mixing valve, val		water temperature protection, weather-based	
Name	Communication	EAN code	Catalogue number	Colour	Price
EHI-2	wired RS TECH	5902479665641	WG.23.0035	WHITE	248 €
Name	BT-01 BUTTON The device can be used to Communication	trigger actions and scenes of	depending on the number of times you pr	ress or hold the button.	Price
BT-01	wireless WTP	5902479664811	WG.23.0007	WHITE	65 €
		1	1		33 €
	RC-07 REMOTE 7x programmable buttons				
	0iti	FAN J.	0-1-1	0.1	
Name RC-07	Communication wireless WTP	EAN code	Catalogue number	Colour WHITE	Price Available soor
	wireless WTP	UNCTION BUTTON 4			
RC-07	wireless WTP WP-04 MULTIFI 4x programmable virtual	UNCTION BUTTON 4	GANG	WHITE	Available sooi
RC-07	wireless WTP WP-04 MULTIF	UNCTION BUTTON 4			
RC-07	wireless WTP WP-04 MULTIFE 4x programmable virtual Communication wireless WTP CP-04m con The CP-04 control pane room in which it is insta	UNCTION BUTTON 4 output EAN code 5902479665122 ITROL PANEL H is a multi-tasking device. T alled (has the possibility of or panel therefore functions as	Catalogue number WG.23.0045 hanks to it, we can display the current wonnecting an air temperature sensor and	WHITE	Available sooi
Name WP-04	wireless WTP WP-04 MULTIFE 4x programmable virtual Communication wireless WTP CP-04m CON The CP-04 control paneroom in which it is instate to favorite scenes. The	UNCTION BUTTON 4 output EAN code 5902479665122 ITROL PANEL H is a multi-tasking device. T alled (has the possibility of or panel therefore functions as	Catalogue number WG.23.0045 hanks to it, we can display the current wonnecting an air temperature sensor and	Colour WHITE weather forecast, check the temperature in the a floor temperature sensor) and set shortcuts	Available sooi
RC-07	wireless WTP WP-04 MULTIF 4x programmable virtual Communication wireless WTP CP-04m con The CP-04 control pane room in which it is instet to favorite scenes. The latinch color touch scr	UNCTION BUTTON 4 output EAN code 5902479665122 ITROL PANEL It is a multi-tasking device. Talled (has the possibility of or panel therefore functions as een.	Catalogue number WG.23.0045 hanks to it, we can display the current wonnecting an air temperature sensor and a weather indicator, temperature controll	Colour WHITE weather forecast, check the temperature in the a floor temperature sensor) and set shortcuts ler and scene switch. All this is controlled from	Available soor Price 68 €
Name WP-04	wireless WTP WP-04 MULTIFE 4x programmable virtual Communication wireless WTP CP-04m con The CP-04 control pane room in which it is instate to favorite scenes. The a 4-inch color touch scr Communication CJP-01 AIRB	UNCTION BUTTON 4 output EAN code 5902479665122 ITROL PANEL el is a multi-tasking device. To panel therefore functions as een. EAN code WG.23.0063	Catalogue number WG.23.0045 hanks to it, we can display the current wonnecting an air temperature sensor and a weather indicator, temperature controll Catalogue number 5902479666037	Colour WHITE weather forecast, check the temperature in the a floor temperature sensor) and set shortcuts ler and scene switch. All this is controlled from Colour BLACK	Available soor Price 68 €
Name WP-04	wireless WTP WP-04 MULTIFE 4x programmable virtual Communication wireless WTP CP-04m con The CP-04 control pane room in which it is instate to favorite scenes. The a 4-inch color touch scr Communication CJP-01 AIRB	UNCTION BUTTON 4 output EAN code 5902479665122 ITROL PANEL el is a multi-tasking device. To panel therefore functions as een. EAN code WG.23.0063	Catalogue number WG.23.0045 hanks to it, we can display the current wonnecting an air temperature sensor and a weather indicator, temperature controll Catalogue number 5902479666037	Colour WHITE weather forecast, check the temperature in the a floor temperature sensor) and set shortcuts ler and scene switch. All this is controlled from Colour BLACK	Available soor Price 68 €
Name WP-04 Name Name	wireless WTP WP-04 MULTIFE 4x programmable virtual Communication wireless WTP CP-04m CON The CP-04 control pane room in which it is inste to favorite scenes. The a 4-inch color touch scr Communication CJP-01 AIRB The device monitors the	EAN code 5902479665122 STROL PANEL H is a multi-tasking device. Talled (has the possibility of corpanel therefore functions as een. EAN code WG.23.0063 SORNE PARTICULATE Expended to the concentration of particulations and the concentration of particulations as each.	Catalogue number WG.23.0045 hanks to it, we can display the current wonnecting an air temperature sensor and a weather indicator, temperature controll Catalogue number 5902479666037 MATTER e matter contained in the air in the room	Colour WHITE weather forecast, check the temperature in the a floor temperature sensor) and set shortcuts ler and scene switch. All this is controlled from Colour BLACK where it is located.	Price 68 € Price 306 €
Name WP-04 Name Name	wireless WTP WP-04 MULTIFE 4x programmable virtual Communication wireless WTP CP-04m con The CP-04 control pane room in which it is instate to favorite scenes. The a 4-inch color touch scr Communication CJP-01 AIRB The device monitors the device monitors the wireless WTP KW-03m INPU	EAN code 5902479665122 ITROL PANEL Is a multi-tasking device. Talled (has the possibility of or panel therefore functions as een. EAN code WG.23.0063 BORNE PARTICULATE e concentration of particulat	Catalogue number WG.23.0045 hanks to it, we can display the current wonnecting an air temperature sensor and a weather indicator, temperature controll Catalogue number 5902479666037 MATTER e matter contained in the air in the room Catalogue number WG.23.0042	Colour WHITE weather forecast, check the temperature in the a floor temperature sensor) and set shortcuts ler and scene switch. All this is controlled from Colour BLACK where it is located.	Price Price 306 €
Name WP-04 Name CJP-01	wireless WTP WP-04 MULTIFE 4x programmable virtual Communication wireless WTP CP-04m con The CP-04 control pane room in which it is instate to favorite scenes. The a 4-inch color touch scr Communication CJP-01 AIRB The device monitors the device monitors the wireless WTP KW-03m INPU	EAN code 5902479665122 STROL PANEL el is a multi-tasking device. To panel therefore functions as een. EAN code WG.23.0063 SORNE PARTICULATE el concentration of particulate EAN code 5902479664996 T CARD	Catalogue number WG.23.0045 hanks to it, we can display the current wonnecting an air temperature sensor and a weather indicator, temperature controll Catalogue number 5902479666037 MATTER e matter contained in the air in the room Catalogue number WG.23.0042	Colour WHITE weather forecast, check the temperature in the a floor temperature sensor) and set shortcuts ler and scene switch. All this is controlled from Colour BLACK where it is located.	Price Price 306 €

Photo			Product description		Net price
	KW-11m INPU 4x 2-state input, 4x NTC	IT CARD sensor input, 1x 1 wire inpu	t, 2x 0-10V output		
Name	Communication	EAN code	Catalogue number	Colour	Price
KW-11m	wired TECH SBUS	5902479665856	WG.23.0048	BLUE	77 €
U.A.S. Supplier	KW-12m INPU 4x 2-state input, 8x NTC				
Name	Communication	EAN code	Catalogue number	Colour	Price
KW-12m	wired TECH SBUS	5902479665849	WG.23.0053	BLUE	75 €
5 T66	MB-04m GATE 2x 2-state input, 2x 2-sta	ate output			
Name	Communication	EAN code	Catalogue number	Colour	Price
MB-04m	wired TECH SBUS	5902479666280	WG.23.0111	BLUE	51 €
0 8 8 0	Southonal data such as	: air quality - VOC, atmospher	p. 30000 and an namaty.		
Name MC-01		r is a device that combines m		Colour WHITE h offers the possibility to measure and display	Price 86 €
	wireless WTP MC-02 MULTI The MC-02 multi-sensor additional data such as	5902479665658 I SENSOR r is a device that combines m : air quality, CO ₂ concentratio	WG.23.0043 any functions. It is a room regulator which, atmospheric pressure, air temperature	WHITE h offers the possibility to measure and display and air humidity.	86€
	wireless WTP MC-02 MULTI The MC-02 multi-sensor	5902479665658 I SENSOR r is a device that combines m	WG.23.0043 any functions. It is a room regulator whice	WHITE h offers the possibility to measure and displa	86€
MC-01	MC-02 MULTI The MC-02 multi-sensor additional data such as Communication wireless WTP CR-01 MOTIO	SENSOR r is a device that combines m : air quality, CO ₂ concentratio EAN code 5902479665153	wG.23.0043 any functions. It is a room regulator which, atmospheric pressure, air temperature Catalogue number	WHITE h offers the possibility to measure and display and air humidity. Colour WHITE	86 € Price 152 €
Name MC-02	wireless WTP MC-02 MULTI The MC-02 multi-sensor additional data such as Communication wireless WTP CR-01 MOTIO The device is equipped	SENSOR r is a device that combines m : air quality, CO ₂ concentratio EAN code 5902479665153 EN SENSOR with a motion sensor, light in	any functions. It is a room regulator which, atmospheric pressure, air temperature Catalogue number WG.23.0065	WHITE h offers the possibility to measure and display and air humidity. Colour WHITE ir humidity sensor.	86 € Price 152 €
Name MC-02 Name	wireless WTP MC-02 MULTI The MC-02 multi-sensor additional data such as Communication wireless WTP CR-01 MOTIO The device is equipped Communication wireless WTP CD-01 SMOKI The device detects smc	SENSOR r is a device that combines me air quality, CO2 concentration EAN code 5902479665153 EAN code 5902479664972 EAN code 5902479664972 ESENSOR oke in the room in which it is leading to the code in the room in which it is leading to the room in the room in which it is leading to the room in the r	any functions. It is a room regulator which, atmospheric pressure, air temperature Catalogue number WG.23.0065 tensity sensor, temperature sensor and a catalogue number WG.23.0023	h offers the possibility to measure and display and air humidity. Colour WHITE ir humidity sensor. Colour WHITE signal.	86 € Price 152 €
Name MC-02 Name	wireless WTP MC-02 MULTI The MC-02 multi-sensor additional data such as Communication wireless WTP CR-01 MOTIO The device is equipped Communication wireless WTP CD-01 SMOKI	SENSOR r is a device that combines m r air quality, CO ₂ concentratio EAN code 5902479665153 EN SENSOR with a motion sensor, light in EAN code 5902479664972 E SENSOR	wG.23.0043 any functions. It is a room regulator which, atmospheric pressure, air temperature Catalogue number WG.23.0065 tensity sensor, temperature sensor and a Catalogue number WG.23.0023	white h offers the possibility to measure and display and air humidity. Colour WHITE ir humidity sensor. Colour WHITE	Price 152 € Price 115 €
Name MC-02 Name CR-01	wireless WTP MC-02 MULTI The MC-02 multi-sensor additional data such as Communication wireless WTP CR-01 MOTIO The device is equipped Communication wireless WTP CD-01 SMOKI The device detects smc	SENSOR r is a device that combines me air quality, CO2 concentration EAN code 5902479665153 EAN code 5902479664972 EAN code 5902479664972 ESENSOR oke in the room in which it is leading to the code in the room in which it is leading to the room in the room in which it is leading to the room in the r	any functions. It is a room regulator which, atmospheric pressure, air temperature Catalogue number WG.23.0065 tensity sensor, temperature sensor and a catalogue number WG.23.0023	h offers the possibility to measure and display and air humidity. Colour WHITE ir humidity sensor. Colour WHITE signal.	Price 152 € Price 115 €
Name MC-02 Name CR-01	MC-02 MULTI The MC-02 multi-sensor additional data such as Communication wireless WTP CR-01 MOTIO The device is equipped Communication wireless WTP CD-01 SMOKI The device detects smc Communication wireless WTP CZ-01 FLOOD Protect your home agai	SENSOR SENSOR T is a device that combines me air quality, CO2 concentration EAN code 5902479665153 EAN code 5902479664972 E SENSOR Oke in the room in which it is less that code 5902479665160 SENSOR Inst flooding with a CZ-01 floodi	wG.23.0043 any functions. It is a room regulator which, atmospheric pressure, air temperature Catalogue number WG.23.0065 tensity sensor, temperature sensor and a control of the cont	h offers the possibility to measure and display and air humidity. Colour WHITE ir humidity sensor. Colour WHITE signal.	Price 152 € Price 115 €
Name MC-02 Name CR-01	MC-02 MULTI The MC-02 multi-sensor additional data such as Communication wireless WTP CR-01 MOTIO The device is equipped Communication wireless WTP CD-01 SMOKI The device detects smo Communication wireless WTP CZ-01 FLOOD Protect your home agai	SENSOR SENSOR T is a device that combines me air quality, CO2 concentration EAN code 5902479665153 EAN code 5902479664972 E SENSOR Oke in the room in which it is less that code 5902479665160 SENSOR Inst flooding with a CZ-01 floodi	any functions. It is a room regulator which, atmospheric pressure, air temperature Catalogue number WG.23.0065 tensity sensor, temperature sensor and a catalogue number WG.23.0023 Catalogue number WG.23.0023 Catalogue number WG.23.0034	h offers the possibility to measure and display and air humidity. Colour WHITE ir humidity sensor. Colour WHITE signal. Colour WHITE	Price 152 € Price 115 €
Name MC-02 Name CR-01 Name CD-01	MC-02 MULTI The MC-02 multi-sensor additional data such as Communication wireless WTP CR-01 MOTIO The device is equipped Communication wireless WTP CD-01 SMOKI The device detects smo Communication wireless WTP CZ-01 FLOOD Protect your home agai to the main module. You	SENSOR FAN code 5902479665153 EAN code 5902479665153 EAN code 5902479664972 E SENSOR ske in the room in which it is l EAN code 5902479665160 SENSOR nst flooding with a CZ-01 floor u can put it directly on the su	any functions. It is a room regulator which, atmospheric pressure, air temperature Catalogue number WG.23.0065 tensity sensor, temperature sensor and a catalogue number WG.23.0023 Catalogue number WG.23.0023 Catalogue number WG.23.0034 d sensor. The sensor is placed on the florface or use a probe to detect flooding.	h offers the possibility to measure and display and air humidity. Colour WHITE ir humidity sensor. Colour WHITE signal. Colour WHITE	Price 152 € Price 115 €



Photo			Product description		Net price
all the second		tender, you will extend the ra	ange of the wireless system. The ex mounted in a 60mm box and powere	tender connects to the SINUM system devices and ed by 230V.	
Name	Communication	EAN code	Catalogue number	Colour	Price
EX-01	wireless WTP	5902479664699	WG.23.0006	WHITE	138 €
0		tender, you will extend the ra	ange of the wireless system. The ex mounted in a 60mm box and powere	tender connects to the SINUM system devices and ed by 230V.	
Name	Communication	EAN code	Catalogue number	Colour	Price
EX-G1	wireless WTP	5902479666426	WG.23.0100	WHITE	100 €
Name EX-S1	Communication wireless WTP	EAN code WG.23.0104	It is mounted ona a DIN rail and post	Colour BLUE	Price 131 €
EX-S1m	wired TECH SBUS	WG.23.0105	5902479665818)	120 €
EX-S1m RGB-P4 / RGB-P4m	RGBW-01 R	GBW MODULE to power and control the ope	eration of RGB LED strips. Thanks to	the use of the module, you will be able to manage e selected scene, automation or manually.	120 € RGB-SS / RGB-S5m
	RGBW-01 R RGB modules are used to both the color and inten	GBW MODULE to power and control the ope	eration of RGB LED strips. Thanks to	the use of the module, you will be able to manage	100
RGB-P4/ RGB-P4m Name RGB-P4	RGBW-01 R RGB modules are used toth the color and inten RGB-S5m and RGB-S5 Communication wireless WTP	GBW MODULE to power and control the ope sity of light, as well as the te are RGBWW module. EAN code 5902479661810	eration of RGB LED strips. Thanks to emperature. All this depending on the Catalogue number WG.23.0172	the use of the module, you will be able to manage e selected scene, automation or manually.	RGB-SS / RGB-SSm
RGB-P4/ RG8-P4m Name RGB-P4 RGB-P4	RGBW-01 R RGB modules are used both the color and inten RGB-S5m and RGB-S5 Communication wireless WTP wired TECH SBUS	GBW MODULE to power and control the ope sity of light, as well as the te are RGBWW module. EAN code 5902479661810 5902479665719	eration of RGB LED strips. Thanks to emperature. All this depending on the Catalogue number WG.23.0172 WG.23.0082	the use of the module, you will be able to manage e selected scene, automation or manually. Colour	RGB-SS / RGB-SSm
RGB-P4/ RGB-P4m Name RGB-P4	RGBW-01 R RGB modules are used toth the color and inten RGB-S5m and RGB-S5 Communication wireless WTP	GBW MODULE to power and control the ope sity of light, as well as the te are RGBWW module. EAN code 5902479661810	eration of RGB LED strips. Thanks to emperature. All this depending on the Catalogue number WG.23.0172	the use of the module, you will be able to manage e selected scene, automation or manually. Colour	RGB-SS / RGB-SSm Price
RGB-P4/ RGB-P4m Name RGB-P4 RGB-P4m RGB-S5	RGBW-01 R RGB modules are used toth the color and inter RGB-S5m and RGB-S5 Communication wireless WTP wired TECH SBUS wireless WTP wired TECH SBUS DIM-01 LED I DIM-94, DIM-94m, DIM-5 of the total lighting pow	GBW MODULE to power and control the opesity of light, as well as the teare RGBWW module. EAN code 5902479661810 5902479665719 5902479665757 DIMMER SS, DIM-SSm LED light dimmer. They support 4 LED stri	cration of RGB LED strips. Thanks to emperature. All this depending on the comparature and the comparature are comparature. All this depending on the comparature are comparature. All this depending on the comparature are comparature. WG.23.0172 WG.23.0082 WG.23.0169 WG.23.0085 ers enable smooth change of the light ps (DIM-P4, DIM-P4m) or 5 strips (I	the use of the module, you will be able to manage e selected scene, automation or manually. Colour WHITE	RGB-SS / RGB-SSm Price
RGB-P4/ RG8-P4m Name RGB-P4 RGB-P4m RGB-S5 RGB-S5m	RGBW-01 R RGB modules are used toth the color and inten RGB-S5m and RGB-S5 Communication wireless WTP wired TECH SBUS wireless WTP wired TECH SBUS DIM-01 LED I DIM-94, DIM-94m, DIM-96 the total lighting pour of light color in the rame	GBW MODULE to power and control the opesity of light, as well as the teare RGBWW module. EAN code 5902479661810 5902479665719 5902479665757 DIMMER SS, DIM-SSm LED light dimmer. They support 4 LED stri	cration of RGB LED strips. Thanks to emperature. All this depending on the comparature and the comparature are comparature. All this depending on the comparature are comparature. All this depending on the comparature are comparature. WG.23.0172 WG.23.0082 WG.23.0169 WG.23.0085 ers enable smooth change of the light ps (DIM-P4, DIM-P4m) or 5 strips (I	the use of the module, you will be able to manage e selected scene, automation or manually. Colour WHITE BLUE at intensity of LED strips in the range from 0 to 100% DIM-S5, DIM-S5m) simultaneously. Possible choice	RGB-SS / RGB-SSm Price 98 €
RGB-P4/ RGB-P4m Name RGB-P4 RGB-P4m RGB-S5 RGB-S5m DIM-P4/ DIM-P4m	RGBW-01 R RGB modules are used both the color and inten RGB-S5m and RGB-S5 Communication wireless WTP wired TECH SBUS wireless WTP wired TECH SBUS DIM-01 LED I DIM-94, DIM-94m, DIM-96 the total lighting pow of light color in the randor manually. Communication wireless WTP	GBW MODULE to power and control the ope sity of light, as well as the te are RGBWW module. EAN code 5902479661810 5902479665719 5902479665757 DIMMER S5, DIM-S5m LED light dimmiver. They support 4 LED stri ge of 3000°K - 6000°K (from EAN code 5902479666105	cration of RGB LED strips. Thanks to emperature. All this depending on the emperature. WG.23.0172 WG.23.0082 WG.23.0169 WG.23.0085 ers enable smooth change of the ligh ps (DIM-P4, DIM-P4m) or 5 strips (I o cold through neutral to warm). All Catalogue number WG.23.0171	the use of the module, you will be able to manage e selected scene, automation or manually. Colour WHITE BLUE at intensity of LED strips in the range from 0 to 100% of 100%. The selected scene, automation on the selected scene, automation	RGB-SS / RGB-SSm Price 98 € DIM-SS / DIM-SSm
RGB-P4/ RG8-P4m Name RGB-P4 RGB-P4 RGB-S5 RGB-S5m DIM-P4/ DIM-P4m Name DIM-P4 DIM-P4 DIM-P4	RGBW-01 R RGB modules are used both the color and inten RGB-S5m and RGB-S5 Communication wireless WTP wired TECH SBUS wireless WTP wired TECH SBUS DIM-01 LED I DIM-94, DIM-94m, DIM-96 the total lighting poword light color in the randor manually. Communication wireless WTP wired TECH SBUS	GBW MODULE to power and control the ope sity of light, as well as the te are RGBWW module. EAN code 5902479661810 5902479665719 5902479665757 DIMMER S5, DIM-S5m LED light dimmer. They support 4 LED stri ge of 3000°K - 6000°K (from EAN code 5902479666105 5902479665740	cration of RGB LED strips. Thanks to emperature. All this depending on the emperature. WG.23.0172 WG.23.0082 WG.23.0169 WG.23.0085 ers enable smooth change of the light ps (DIM-P4, DIM-P4m) or 5 strips (I cold through neutral to warm). All Catalogue number WG.23.0171 WG.23.0083	the use of the module, you will be able to manage e selected scene, automation or manually. Colour WHITE BLUE Int intensity of LED strips in the range from 0 to 100% DIM-S5, DIM-S5m) simultaneously. Possible choice this depending on the selected scene, automation Colour	RGB-SS / RGB-SSm Price 98 € DIM-SS / DIM-SSm
RGB-P4/ RG8-P4m Name RGB-P4 RGB-P4 RGB-S5 RGB-S5m Name DIM-P4/ DIM-P4m DIM-P4 DIM-P4m DIM-S5	RGBW-01 R RGB modules are used both the color and inten RGB-S5m and RGB-S5 Communication wireless WTP wired TECH SBUS wireless WTP wired TECH SBUS DIM-01 LED I DIM-P4, DIM-P4m, DIM-S of the total lighting pow of light color in the rand or manually. Communication wireless WTP wired TECH SBUS wireless WTP	GBW MODULE to power and control the ope sity of light, as well as the te are RGBWW module. EAN code 5902479661810 5902479665719 5902479665757 DIMMER S5, DIM-S5m LED light dimme ver. They support 4 LED stri ge of 3000°K - 6000°K (from EAN code 5902479665105 5902479665740 5902479666112	cration of RGB LED strips. Thanks to emperature. All this depending on the Catalogue number WG.23.0172 WG.23.0082 WG.23.0169 WG.23.0085 ers enable smooth change of the ligh ps (DIM-P4, DIM-P4m) or 5 strips (I o cold through neutral to warm). All Catalogue number WG.23.0171 WG.23.0083 WG.23.0168	the use of the module, you will be able to manage e selected scene, automation or manually. Colour WHITE BLUE Int intensity of LED strips in the range from 0 to 100% DIM-S5, DIM-S5m) simultaneously. Possible choice this depending on the selected scene, automation Colour	RGB-SS / RGB-SSm Price 98 € DIM-SS / DIM-SSm Price
RGB-P4/ RG8-P4m Name RGB-P4 RGB-P4 RGB-S5 RGB-S5m DIM-P4/ DIM-P4m Name DIM-P4 DIM-P4 DIM-P4	RGBW-01 R RGB modules are used both the color and inten RGB-S5m and RGB-S5 Communication wireless WTP wired TECH SBUS wireless WTP wired TECH SBUS DIM-01 LED ID DIM-P4, DIM-P4m, DIM-S of the total lighting pow of light color in the rand or manually. Communication wireless WTP wired TECH SBUS wireless WTP wired TECH SBUS FF-230 WIRE	GBW MODULE to power and control the ope sity of light, as well as the te are RGBWW module. EAN code 5902479661810 5902479665719 5902479665757 DIMMER S5, DIM-S5m LED light dimminument. They support 4 LED stri ge of 3000°K - 6000°K (from EAN code 5902479666105 5902479665740 5902479665870	cration of RGB LED strips. Thanks to emperature. All this depending on the Catalogue number WG.23.0172 WG.23.0082 WG.23.0169 WG.23.0085 ers enable smooth change of the ligh ps (DIM-P4, DIM-P4m) or 5 strips (I or cold through neutral to warm). All Catalogue number WG.23.0171 WG.23.0083 WG.23.0168 WG.23.0084	the use of the module, you will be able to manage e selected scene, automation or manually. Colour WHITE BLUE at intensity of LED strips in the range from 0 to 100% of 100% of 100% of 100%. Possible choice this depending on the selected scene, automation Colour WHITE BLUE	RGB-SS / RGB-SSm Price 98 € DIM-SS / DIM-SSm Price
RGB-P4/ RG8-P4m Name RGB-P4 RGB-P4 RGB-S5 RGB-S5m Name DIM-P4/ DIM-P4m DIM-P4 DIM-P4m DIM-S5	RGBW-01 R RGB modules are used both the color and inten RGB-S5m and RGB-S5 Communication wireless WTP wired TECH SBUS wireless WTP wired TECH SBUS DIM-01 LED ID DIM-P4, DIM-P4m, DIM-S of the total lighting pow of light color in the rand or manually. Communication wireless WTP wired TECH SBUS wireless WTP wired TECH SBUS FF-230 WIRE	GBW MODULE to power and control the ope sity of light, as well as the te are RGBWW module. EAN code 5902479661810 5902479665719 5902479665757 DIMMER S5, DIM-S5m LED light dimme ver. They support 4 LED stri ge of 3000°K - 6000°K (from EAN code 5902479666105 5902479666112 5902479665870 LESS SOCKET (FLUS)	cration of RGB LED strips. Thanks to emperature. All this depending on the Catalogue number WG.23.0172 WG.23.0082 WG.23.0169 WG.23.0085 ers enable smooth change of the ligh ps (DIM-P4, DIM-P4m) or 5 strips (I or cold through neutral to warm). All Catalogue number WG.23.0171 WG.23.0083 WG.23.0168 WG.23.0084	the use of the module, you will be able to manage e selected scene, automation or manually. Colour WHITE BLUE at intensity of LED strips in the range from 0 to 100% of 100% of 100% of 100%. Possible choice this depending on the selected scene, automation Colour WHITE BLUE	RGB-SS / RGB-SSm Price 98 € DIM-SS / DIM-SSm Price
RGB-P4/ RGB-P4m Name RGB-P4 RGB-P4m RGB-S5 RGB-S5m Name DIM-P4/ DIM-P4m DIM-P4 DIM-P5 DIM-S5	RGBW-01 R RGB modules are used both the color and inten RGB-S5m and RGB-S5 Communication wireless WTP wired TECH SBUS wireless WTP wired TECH SBUS DIM-01 LEDI DIM-P4, DIM-P4m, DIM-3 of the total light color in the range or manually. Communication wireless WTP wired TECH SBUS FF-230 WIRE The socket is an execut	GBW MODULE to power and control the ope sity of light, as well as the te are RGBWW module. EAN code 5902479661810 5902479665719 5902479665757 DIMMER S5, DIM-S5m LED light dimme ver. They support 4 LED stri ge of 3000°K - 6000°K (from EAN code 5902479666105 5902479666112 5902479665870 LESS SOCKET (FLUS) ive device to be mounted dir	catalogue number WG.23.0172 WG.23.0082 WG.23.0169 WG.23.0085 WG.23.0085 WG.23.0169 WG.23.0085 WG.23.0169 WG.23.0085 WG.23.0169 WG.23.0085 WG.23.0169 WG.23.0085	the use of the module, you will be able to manage e selected scene, automation or manually. Colour WHITE BLUE at intensity of LED strips in the range from 0 to 100% DIM-S5, DIM-S5m) simultaneously. Possible choice this depending on the selected scene, automation Colour WHITE BLUE	RGB-SS / RGB-SSm Price 98 € DIM-SS / DIM-SSm Price 98 €

Photo Product description Net price SG-230 WIRELESS SOCKET (FLUSH-MOUNTED) The socket is an executive device to be mounted directly in a frame. Communication EAN code Catalogue number Colour Price Name WHITE 5902479667126 WG.23.0166 SG-230 wireless WTP 83 € BLACK - Extended delivery time ZS-24/100 / ZS-24/30 POWER SUPPLY 24V power supply for DIN rail ZS-24/100 - 92W, 24VDC, 3,83A, 85÷264VAC ZS-24/30 - 36W, 24VDC, 1.5A, 85÷264VAC Colour Communication EAN code Catalogue number ZS-24/100 5902479666082 WG.23.0067 BLACK 28€ ZS-24/30 5902479666075 WG.23.0068 BLACK 16€ R-S1 DEDICATED WIRED ROOM REGULATOR FOR SINUM Functions: room temperature control, RS485 wired communication, 24V DC powered Equipment: bulit-in room temperature sensor, humidity sensor, LCD display, no backlit, mechanical buttons Communication EAN code Catalogue number Colour Price 5902479665931 WG.23.0055 WHITE R-S1 wired TECH SBUS 66€ 5902479665962 WG.23.0058 BLACK - Extended delivery time R-S2 DEDICATED WIRED ROOM REGULATOR FOR SINUM Functions: room temperature control, RS485 wired communication, power 24V DC Equipment: bulit-in room temperature sensor, humidity sensor, LCD display, no backlit, touchable buttons * White or black casing. In case of lack of colour selection color will be chosen randomly. Communication EAN code Colour Catalogue number Name Price 5902479665948 WG.23.0056 R-S2 wired TECH SBUS 77 € 5902479665979 WG.23.0059 BLACK - Extended delivery time R-S3 DEDICATED WIRED ROOM REGULATOR FOR SINUM Functions: room temperature control, additional control based on floor temperature (if floor sensor is used), RS485 wired communication, power 24V DC Equipment: bulit-in room temperature sensor, humidity sensor, LCD display with temporary backlit * White or black casing. In case of lack of colour selection color will be chosen randomly EAN code Colour Communication Catalogue number Price 5902479665955 WG.23.0057 WHITE wired TECH SBUS R-S3 84€ 5902479665986 WG.23.0060 BLACK - Extended delivery time FR-S2 DEDICATED WIRED ROOM REGULATOR FOR SINUM (FLUSH-MOUNTED) Functions: room temperature control, additional control based on floor temperature (if floor sensor is used), RS485 wired communication, power 24V DC Equipment: bulit-in room temperature sensor, humidity sensor, LCD display, no backlit, flush mountable in electrical box (ø60mm) * White or black casing. In case of lack of colour selection color will be chosen randomly

Communication

wired TECH SBUS

Name

FR-S2

EAN code

5902479665894

5902479666044

Catalogue number

WG.23.0052

WG.23.0064

www.sinum.eu 9

Colour

WHITE

BLACK - Extended delivery time

Price

75 €



			Product description		Net price
i i i i i i i i i i i i i i i i i i i	C-S1p MINI WI Functions: room temperat		ATURE SENSOR (FLUSH	-MOUNTED)	
Name	Communication	EAN code	Catalogue number	Colour	Price
	0 :	5902479666976	WG.23.0174	WHITE	
C-S1p	2 wire	5902479666952	WG.23.0176	BLACK - Extended delivery time	20 €
F 6		ROOM TEMPERATURE and humidity measurem	RE AND HUMIDITY SENS	GOR	
Name	Communication	EAN code	Catalogue number	Colour	Price
C-S1m	wired TECH SBUS	5902479666419	WG.23.0173	WHITE	43 €
U-31111	WIICU ILON SDUS	-	-	BLACK - Extended delivery time	43 €
Name	FU-SIP / FU-Functions: room temperat	ture measurement EAN code	Catalogue number	OR (FLUSH-MOUNTED IN A FRAME) Colour	Price
FC-S1p	2 wire	5902479667065	WG.23.0192	WHITE	21 €
		5902479667072 5902479667089	WG.23.0193 WG.23.0182	BLACK - Extended delivery time WHITE	_
=c					
FC-S1m	wired TECH SBUS	5902479667096	WG.23.0183	BLACK - Extended delivery time	43 €
FC-S1m		5902479667096 D ROOM TEMPERATO	WG.23.0183		43 €
FC-S1m Name	EU-C-7p wire	5902479667096 TO ROOM TEMPERATO ture measurement EAN code	WG.23.0183 JRE SENSOR Catalogue number	BLACK - Extended delivery time Colour	43 €
NO.	EU-C-7p WIRE Functions: room temperat	5902479667096 D ROOM TEMPERATO ture measurement	WG.23.0183 JRE SENSOR	BLACK - Extended delivery time	
Name	EU-C-7p WIRE Functions: room temperat Communication 2 wire	5902479667096 D ROOM TEMPERATO ture measurement EAN code 5902479661032 5902479662060 LESS ROOM TEMPER	WG.23.0183 JRE SENSOR Catalogue number WG.03.0072 WG.03.0075	BLACK - Extended delivery time Colour WHITE	Price
Name	EU-C-7p WIRE Functions: room temperat Communication 2 wire EU-C-8r WIRE	5902479667096 D ROOM TEMPERATO ture measurement EAN code 5902479661032 5902479662060 LESS ROOM TEMPER	WG.23.0183 JRE SENSOR Catalogue number WG.03.0072 WG.03.0075	BLACK - Extended delivery time Colour WHITE	Price
Name C-7p	EU-C-7p WIRE Functions: room temperat Communication 2 wire EU-C-8r WIRE Functions: room temperat	5902479667096 ED ROOM TEMPERATU ture measurement EAN code 5902479661032 5902479662060 LESS ROOM TEMPER ture measurement EAN code 5902479661056	WG.23.0183 URE SENSOR Catalogue number WG.03.0072 WG.03.0075 ATURE SENSOR Catalogue number WG.03.0079	Colour WHITE BLACK - Extended delivery time Colour WHITE WHITE WHITE	Price 21 €
Name C-7p Name	EU-C-7p WIRE Functions: room temperat Communication 2 wire EU-C-8r WIRE Functions: room temperat Communication wireless WTP	### SP02479667096 ### SP02479667096 ### CODE	WG.23.0183 JRE SENSOR Catalogue number WG.03.0072 WG.03.0075 ATURE SENSOR Catalogue number WG.03.0079 WG.03.0082	Colour WHITE BLACK - Extended delivery time Colour Colour Colour	Price 21 € Price
Name C-7p Name C-8r	EU-C-7p WIRE Functions: room temperat Communication 2 wire EU-C-8r WIRE Functions: room temperat Communication wireless WTP	### SP02479667096 ### SP02479667096 ### CODE	WG.23.0183 URE SENSOR Catalogue number WG.03.0072 WG.03.0075 ATURE SENSOR Catalogue number WG.03.0079 WG.03.0082	Colour WHITE BLACK - Extended delivery time Colour WHITE WHITE WHITE	Price 21 € Price 36 €
Name C-7p Name	EU-C-7p WIRE Functions: room temperat Communication 2 wire EU-C-8r WIRE Functions: room temperat Communication wireless WTP EU-C-8f WIRE Functions: floor temperate	### SP02479667096 ### SP02479667096 ### CODE	WG.23.0183 JRE SENSOR Catalogue number WG.03.0072 WG.03.0075 ATURE SENSOR Catalogue number WG.03.0079 WG.03.0082	Colour WHITE BLACK - Extended delivery time Colour WHITE BLACK - Extended delivery time	Price 21 € Price

Photo			Product description		Net price
	EU-C-8zr wird Functions: outdoor tempe		MPERATURE SENSOR		
Name	Communication	EAN code	Catalogue number	Colour	Price
C-8zr	wireless WTP	5902479661063	WG.03.0083	WHITE	36 €
0	EU-C-mini wi Functions: room temperat	RELESS ROOM TEMF	PERATURE SENSOR		
Name	Communication	EAN code	Catalogue number	Colour	Price
C-mini	wireless WTP	5902479661636	WG.03.0085	WHITE	36 €
Name CL-mini	Communication wireless WTP EU-R-8b WIRE Functions: room temperat	EAN code 5902479662817 LESS ROOM REGULA ure control, heating program	Catalogue number WG.03.0084	Colour WHITE erature sensor, LCD display, 2xAAA Batteries,	Price 40 €
Name	Communication	EAN code	Catalogue number	Colour	Price
Name R-8b	Communication wireless WTP	EAN code 5902479661070 5902479662091	Catalogue number WG.11.0188 WG.11.0192	Colour WHITE BLACK - Extended delivery time	Price 48 €
R-8b	wireless WTP EU-R-8x wire	5902479661070 5902479662091 LESS ROOM REGULA ure control, heating program	WG.11.0188 WG.11.0192	WHITE	
R-8b	EU-R-8x wire Functions: room temperat mechanical bu	5902479661070 5902479662091 LESS ROOM REGULA ure control, heating program ttons	WG.11.0198 WG.11.0192 TOR with time limit. Bulit-in room temp	WHITE BLACK - Extended delivery time perature sensor, LCD display, 2xAA batteries, no backlit,	48 €
R-8b	wireless WTP EU-R-8x wire Functions: room temperat	5902479661070 5902479662091 LESS ROOM REGULA ure control, heating program ttons EAN code	WG.11.0188 WG.11.0192 TOR with time limit. Bulit-in room temp	WHITE BLACK - Extended delivery time perature sensor, LCD display, 2xAA batteries, no backlit, Colour	48 €
R-8b	EU-R-8x wire Functions: room temperat mechanical bu	5902479661070 5902479662091 LESS ROOM REGULA ure control, heating program ttons	WG.11.0198 WG.11.0192 TOR with time limit. Bulit-in room temp	WHITE BLACK - Extended delivery time perature sensor, LCD display, 2xAA batteries, no backlit,	48 €
R-8b	EU-R-8x WIRE Functions: room temperat mechanical bu Communication wireless WTP EU-R-8b PLU Functions: room temperat floor temperature	5902479661070 5902479662091 LESS ROOM REGULA ure control, heating program ttons EAN code 5902479665924 5902479666099 JS WIRELESS ROON ure control, heating program ure (in case of using NTC floor	WG.11.0188 WG.11.0192 TOR with time limit. Bulit-in room temp Catalogue number WG.11.0734 WG.11.0760 REGULATOR	WHITE BLACK - Extended delivery time perature sensor, LCD display, 2xAA batteries, no backlit, Colour WHITE BLACK - Extended delivery time	48 €
Name R-8x	EU-R-8x WIRE Functions: room temperat mechanical but Communication wireless WTP EU-R-8b PLU Functions: room temperat floor temperate the wireless with the communication temperate the communication temperate the communication temperate the white or black casing. In	5902479661070 5902479662091 LESS ROOM REGULA ure control, heating program ttons EAN code 5902479665924 5902479666099 JS WIRELESS ROON ure control, heating program ure (in case of using NTC floo case of lack of colour select	WG.11.0188 WG.11.0192 TOR with time limit. Bulit-in room temp WG.11.0734 WG.11.0760 I REGULATOR with time limit. Bulit-in room tempe r sensor - not included), LCD displation color will be chosen randomly.	WHITE BLACK - Extended delivery time perature sensor, LCD display, 2xAA batteries, no backlit, Colour WHITE BLACK - Extended delivery time prature and humidity sensor, additional control based on ay, 2xAAA Batteries, no backlit	48 € Price 48 €
Name R-8x	EU-R-8x WIRE Functions: room temperat mechanical bu Communication wireless WTP EU-R-8b PLU Functions: room temperat floor temperature with the wind temperature with the communication in the properation of the properature with the communication in the properature with the propera	5902479661070 5902479662091 LESS ROOM REGULA ure control, heating program ttons EAN code 5902479665924 5902479666099 JS WIRELESS ROON ure control, heating program ure (in case of using NTC floc case of lack of colour select EAN code	WG.11.0192 TOR with time limit. Bulit-in room temp Catalogue number WG.11.0734 WG.11.0760 IREGULATOR with time limit. Bulit-in room temper sensor - not included), LCD disple ion color will be chosen randomly. Catalogue number	WHITE BLACK - Extended delivery time perature sensor, LCD display, 2xAA batteries, no backlit, Colour WHITE BLACK - Extended delivery time prature and humidity sensor, additional control based on any, 2xAAA Batteries, no backlit Colour	48 € Price 48 €
Name R-8x	EU-R-8x WIRE Functions: room temperat floor temperat. * White or black casing. In Communication wireless WTP EU-R-8b PLU Functions: room temperat floor temperat. * White or black casing. In Communication wireless WTP EU-R-8s PLU Functions: room temperat floor temperat.	5902479661070 5902479662091 LESS ROOM REGULA ure control, heating program ttons EAN code 5902479665924 5902479666099 JS WIRELESS ROON ure control, heating program ure (in case of using NTC floo case of lack of colour select EAN code 5902479663647 5902479663654 JS WIRELESS ROOM ure control, heating program re (in case of using NTC floor	WG.11.0192 TOR with time limit. Bulit-in room temper WG.11.0734 WG.11.0760 REGULATOR with time limit. Bulit-in room temper r sensor - not included), LCD displation color will be chosen randomly. Catalogue number WG.11.0195 WG.11.0196	WHITE BLACK - Extended delivery time perature sensor, LCD display, 2xAA batteries, no backlit, Colour WHITE BLACK - Extended delivery time prature and humidity sensor, additional control based on any, 2xAAA Batteries, no backlit Colour WHITE	48 € Price 48 €
Name R-8x	EU-R-8x WIRE Functions: room temperat floor temperat. * White or black casing. In Communication wireless WTP EU-R-8b PLU Functions: room temperat floor temperat. * White or black casing. In Communication wireless WTP EU-R-8s PLU Functions: room temperat floor temperat.	5902479661070 5902479662091 LESS ROOM REGULA ure control, heating program ttons EAN code 5902479665924 5902479666099 JS WIRELESS ROON ure control, heating program ure (in case of using NTC floo case of lack of colour select EAN code 5902479663647 5902479663654 JS WIRELESS ROOM ure control, heating program re (in case of using NTC floor	WG.11.0188 WG.11.0192 TOR with time limit. Bulit-in room tempe WG.11.0734 WG.11.0760 I REGULATOR with time limit. Bulit-in room tempe r sensor - not included), LCD displation color will be chosen randomly. Catalogue number WG.11.0195 WG.11.0196 I REGULATOR with time limit. Bulit-in room tempe sensor - not included), LCD displation color will be chosen randomly.	WHITE BLACK - Extended delivery time colour WHITE BLACK - Extended delivery time Colour WHITE BLACK - Extended delivery time crature and humidity sensor, additional control based on any, 2xAAA Batteries, no backlit Colour WHITE BLACK - Extended delivery time	48 € Price 48 €
Name R-8x Name R-8b PLUS	EU-R-8x WIRE Functions: room temperat floor temperatt * White or black casing. In EU-R-8s PLU Functions: room temperatt * White or black casing. In	5902479661070 5902479662091 LESS ROOM REGULA ure control, heating program ttons EAN code 5902479665924 5902479666099 JS WIRELESS ROOM ure control, heating program ure (in case of using NTC floo case of lack of colour select EAN code 5902479663647 5902479663654 JS WIRELESS ROOM ure control, heating program re (in case of using NTC floor case of lack of colour select	WG.11.0192 TOR with time limit. Bulit-in room temp WG.11.0734 WG.11.0760 REGULATOR with time limit. Bulit-in room tempe or sensor - not included), LCD displation color will be chosen randomly. Catalogue number WG.11.0195 WG.11.0196 REGULATOR with time limit. Bulit-in room tempe or sensor - not included), LCD displation color will be chosen randomly.	WHITE BLACK - Extended delivery time Colour WHITE BLACK - Extended delivery time reature and humidity sensor, additional control based on any, 2xAAA Batteries, no backlit Colour WHITE BLACK - Extended delivery time reature and humidity sensor, additional control based on any, 2xAAA Batteries, no backlit Colour WHITE BLACK - Extended delivery time reature and humidity sensor, additional control based on y with temporary backlit, 2xAAA Batteries,	Price 48 € Price 64 €



Photo Product description Net price EU-R-8pb PLUS WIRELESS ROOM REGULATOR (FLUSH-MOUNTED) Functions: room temperature control, heating program with time limit. Bulit-in room temperature and humidity sensor, additional control based on floor temperature (in case of using NTC floor sensor - not included), LCD display with temporary backlit, powered 2xAAA Batteries, * White or black casing. In case of lack of colour selection color will be chosen randomly. Communication Colour EAN code Catalogue number Name Price 5902479665009 WHITE WG.11.0699 R-8pb PLUS wireless WTP 105€ BLACK - Extended delivery time 5902479665016 WG.11.0700 EU-R-8pz PLUS WIRELESS ROOM REGULATOR (FLUSH-MOUNTED) Functions: room temperature control, heating program with time limit. Bulit-in room temperature and humidity sensor, additional control based on floor temperature (in case of using NTC floor sensor - not included), LCD display with temporary backlit, powered 230V, Flush mountable in electrical box (ø60mm) * White or black casing. In case of lack of colour selection color will be chosen randomly Communication EAN code Catalogue number Colour Name Price 5902479665023 WG.11.0701 WHITE R-8pz PLUS wireless WTP 132 € 5902479665030 WG.11.0702 BLACK - Extended delivery time **EU-F-8z** wireless room regulator (flush-mounted) Functions: room temperature control, heating program with time limit. Bulit-in room temperature and humidity sensor, additional control based on floor temperature (in case of using NTC floor sensor - not included), LCD display with temporary backlit, powered 230V, Flush mountable in electrical box (ø60mm) * White or black casing. In case of lack of colour selection color will be chosen randomly Communication EAN code Catalogue number Colour Price WHITE 5902479664408 WG 11 0634 86€ F-8z wireless WTP BLACK - Extended delivery tir 5902479664415 WG 11 0686 **EU-R-8 LED** WIRELESS ROOM REGULATOR (FLUSH-MOUNTED) Functions: room temperature control, heating program with time limit. Bulit-in room temperature and humidity sensor, additional control based on floor temperature (in case of using NTC floor sensor - not included), LCD display with temporary backlit, powered 230V, Flush mountable in electrical box (ø60mm) * White or black casing. In case of lack of colour selection color will be chosen randomly Communication EAN code Catalogue number Colour Name Price wireless WTP WHITE R-8 I FD Available soon **EU-C-2N** WINDOW SENSOR Functions: wireless communication, window opening signal, heating control, compact in size, long-life battery, discreet design. Power: EVE ER14250 S battery Communication EAN code Catalogue number Colour Price Name 5902479661339 WG.03.0070 RAL 9010- WHITE 5902479664248 WG 03 0069 RAL 7016 - antracite C-2n wireless WTP 43 € 5902479664255 WG.03.0071 RAL 8017 - brown 5902479664262 WG.03.0068 RAL 8003 - golden oak FLOOR TEMPERATURE SENSOR - NTC TYPE (plastified PVC cable insulation) 1,5m - extra charge for each meter: 1 EUR NETTO Communication EAN code Catalogue number Colour Price 5902479661209 WG.01.0031 NTC 150cm 20 € NTC 250cm 5902479661209 WG.01.0032 21 €

			Product description		Net price
	controller or	relay (EU-MW-1) or voltage	/slave mode), in case of loss	tion in manual mode, wireless communication with main s of communication, the contact is switched off. 4 LEDs	
Name	Communication	EAN code	Catalogue number	Colour	Price
MW-1	wireless WTP	5902479661346	WG.05.0114	WHITE	111 €
MW-1 230	wireless with	5902479662374	WG.05.0116	WHITE	1111
75.034	Main assets: voltage-free	XECUTIVE MODULE relay (EU-MWN-1) or voltage of communication, the contact		less communication with main controller (slave mode), in	
Name	Communication	EAN code	Catalogue number	Colour	Price
MWN-1	wireless WTD	5902479664507	WG.05.0197	WHITE	111 6
MWN-1 230	wireless WTP	5902479664392	WG.05.0117		111 €
STT-869	wireless WTP	5902479662381	WG.12.0016	WHITE	97 €
		LECTRIC ACTUATOR	anamination wireless from	annu OCOM In rapura cumhu OuAA 1 EV battarina Augilabla	
	Technical data: Output – r thread M28	nut with M30x1,5 thread; Com 8x1,5 adapter		ency 868MHz; power supply: 2xAA 1,5V batteries. Available	
Name G-X	Technical data: Output - r	nut with M30x1,5 thread; Com	Catalogue number WG.12.0045	ency 868MHz; power supply: 2xAA 1,5V batteries. Available Colour WHITE	Price 97 €
	Technical data: Output - r thread M28 Communication wireless WTP STT-230/2 TH ACTUATOR IS NORMALLY	ent with M30x1,5 thread; Combx1,5 adapter EAN code 5902479665054 ERMOELECTRIC ACTIC CLOSED (NC). ut with M30 x 1,5 or M28x1,	Catalogue number WG.12.0045	Colour	
G-X	Technical data: Output - r thread M28 Communication wireless WTP STT-230/2 TH ACTUATOR IS NORMALLY Technical Data: Fittings: r temperature: 60°C. Power	EAN code 5902479665054 ERMOELECTRIC ACT CLOSED (NC). ut with M30 x 1,5 or M28x1, supply: 230V 50Hz	Catalogue number WG.12.0045 UATOR 5 screw thread, Stroke: 3,5 m	Colour WHITE	97 €
	Communication wireless WTP STT-230/2 TH ACTUATOR IS NORMALLY Technical Data: Fittings: n	ent with M30x1,5 thread; Combx1,5 adapter EAN code 5902479665054 ERMOELECTRIC ACTIC CLOSED (NC). ut with M30 x 1,5 or M28x1,	Catalogue number WG.12.0045 UATOR 5 screw thread, Stroke: 3,5 m Catalogue number	Colour WHITE	97 €
G-X Name	Technical data: Output - r thread M28 Communication wireless WTP STT-230/2 TH ACTUATOR IS NORMALLY Technical Data: Fittings: r temperature: 60°C. Power	ERMOELECTRIC ACT CLOSED (NC). ut with M30 x 1,5 or M28x1, supply: 230V 50Hz	Catalogue number WG.12.0045 UATOR 5 screw thread, Stroke: 3,5 m	Colour WHITE	97 €
G-X Name STT-230/2 M30x1,5	Communication wireless WTP STT-230/2 TH ACTUATOR IS NORMALLY Technical Data: Fittings: n temperature: 60°C. Power Communication STT-230/2 T ACTUATOR IS NORMALLY	ERMOELECTRIC ACT CLOSED (NC). EAN code 5902479665054 ERMOELECTRIC ACT CLOSED (NC). ut with M30 x 1,5 or M28x1, supply: 230V 50Hz EAN code 5902479660691 5902479661490 THERMOELECTRIC A CLOSED (NC). ut with M30 x 1,5 or M28 x 1,	Catalogue number WG.12.0045 UATOR 5 screw thread, Stroke: 3,5 m Catalogue number WG.01.0050 WG.01.0051 CTUATOR	Colour WHITE	97 €
G-X Name STT-230/2 M30x1,5	Communication wireless WTP STT-230/2 TH ACTUATOR IS NORMALLY Technical Data: Fittings: n temperature: 60°C. Power Communication STT-230/2 T ACTUATOR IS NORMALLY Technical Data: Fittings: n	ERMOELECTRIC ACT CLOSED (NC). EAN code 5902479665054 ERMOELECTRIC ACT CLOSED (NC). ut with M30 x 1,5 or M28x1, supply: 230V 50Hz EAN code 5902479660691 5902479661490 THERMOELECTRIC A CLOSED (NC). ut with M30 x 1,5 or M28 x 1,	Catalogue number WG.12.0045 UATOR 5 screw thread, Stroke: 3,5 m Catalogue number WG.01.0050 WG.01.0051 CTUATOR	Colour WHITE m, Class: IP40. Opening time: under 5 min. Max. operation	97 €
Name STT-230/2 M30x1,5 STT-230/2 M28x1,5	Communication wireless WTP STT-230/2 TH ACTUATOR IS NORMALLY Technical Data: Fittings: n temperature: 60°C. Power STT-230/2 T ACTUATOR IS NORMALLY Technical Data: Fittings: n temperature: 60°C. Power	EAN code 5902479665054 ERMOELECTRIC ACTI CLOSED (NC). ut with M30 x 1,5 or M28x1, supply: 230V 50Hz EAN code 5902479661490 THERMOELECTRIC A CLOSED (NC). ut with M30 x 1,5 or M28 x 1, supply: 230V 50Hz	Catalogue number WG.12.0045 UATOR 5 screw thread, Stroke: 3,5 m Catalogue number WG.01.0050 WG.01.0051 CTUATOR 5 screw thread, Class - IP45. C	Colour WHITE m, Class: IP40. Opening time: under 5 min. Max. operation	97 € Price 32 €
Name STT-230/2 M30x1,5 STT-230/2 M28x1,5	Communication wireless WTP STT-230/2 TH ACTUATOR IS NORMALLY Technical Data: Fittings: n temperature: 60°C. Power STT-230/2 T ACTUATOR IS NORMALLY Technical Data: Fittings: n temperature: 60°C. Power	EAN code 5902479665054 ERMOELECTRIC ACT CLOSED (NC). ut with M30 x 1,5 or M28x1, supply: 230V 50Hz EAN code 5902479660691 5902479661490 THERMOELECTRIC A CLOSED (NC). ut with M30 x 1,5 or M28x1, supply: 230V 50Hz	Catalogue number WG.12.0045 UATOR 5 screw thread, Stroke: 3,5 m Catalogue number WG.01.0050 WG.01.0051 CTUATOR 5 screw thread, Class - IP45. C Catalogue number	Colour WHITE m, Class: IP40. Opening time: under 5 min. Max. operation	97 € Price Price
Name STT-230/2 M30x1,5 STT-230/2 M28x1,5 Name STT-230/2 T M30x1,5	Communication wireless WTP STT-230/2 TH ACTUATOR IS NORMALLY Technical Data: Fittings: n temperature: 60°C. Power Communication STT-230/2 T ACTUATOR IS NORMALLY Technical Data: Fittings: n temperature: 60°C. Power Communication STT-230/2 M ACTUATOR IS NORMALLY	EAN code 5902479665054 ERMOELECTRIC ACTI CLOSED (NC). ut with M30 x 1,5 or M28x1, supply: 230V 50Hz EAN code 5902479660691 5902479661490 THERMOELECTRIC A CLOSED (NC). ut with M30 x 1,5 or M28 x 1, supply: 230V 50Hz EAN code 5902479661691 5902479665597 THERMOELECTRIC A CLOSED (NC). ut with M30 x 1,5 or M28 x 1, supply: 230V 50Hz EAN code 5902479665597	Catalogue number WG.12.0045 UATOR 5 screw thread, Stroke: 3,5 m Catalogue number WG.01.0050 WG.01.0051 CTUATOR 5 screw thread, Class - IP45. C Catalogue number WG.01.0053 WG.01.0054	Colour WHITE m, Class: IP40. Opening time: under 5 min. Max. operation	97 € Price 32 €
Name STT-230/2 M30x1,5 STT-230/2 M28x1,5 Name STT-230/2 T M30x1,5 STT-230/2 T M28x1,5	Communication wireless WTP STT-230/2 TH ACTUATOR IS NORMALLY Technical Data: Fittings: n temperature: 60°C. Power Communication STT-230/2 T ACTUATOR IS NORMALLY Technical Data: Fittings: n temperature: 60°C. Power Communication STT-230/2 T ACTUATOR IS NORMALLY Technical Data: Fittings: n temperature: 60°C. Power Communication	EAN code 5902479665054 ERMOELECTRIC ACTI CLOSED (NC). ut with M30 x 1,5 or M28x1, supply: 230V 50Hz EAN code 5902479660691 5902479661490 THERMOELECTRIC A CLOSED (NC). ut with M30 x 1,5 or M28 x 1, supply: 230V 50Hz EAN code 5902479661691 5902479665597 THERMOELECTRIC A CLOSED (NC). ut with M30 x 1,5 or M28 x 1, supply: 230V 50Hz EAN code 5902479665597	Catalogue number WG.12.0045 UATOR 5 screw thread, Stroke: 3,5 m Catalogue number WG.01.0050 WG.01.0051 CTUATOR 5 screw thread, Class - IP45. C Catalogue number WG.01.0053 WG.01.0054	Colour WHITE m, Class: IP40. Opening time: under 5 min. Max. operation Opening time: under 3,5 min. Stroke - 3,7mm,Max. operation	97 € Price 32 €



TECH CONTROLLERS

ul. Biała Droga 31 34-122 Wieprz koło Andrychowa tel. +48 33 330 00 07 e-mail: poczta@techsterowniki.pl



TECH CONTROLLERS reserves the right to introduce changes to the technical parameters, equipment, and specifications of the offered goods without prior notice. All information contained in this catalogue, particularly presented photographs, specifications, descriptions, drawings, or technical parameters, do not constitute a warranty within the meaning of Article 4(3) and (4) of the Act of 27 July 2002 on specific terms and conditions of consumer sales and amending the Civil Code (hereinafter referred to as the "Act"), nor do they constitute a description of the goods within the meaning of Article 4(2) of the Act.

This catalogue does not constitute an offer within the meaning of Article 66 of the Civil Code.